40994/A

Henry H. Bland.
Dec. 31. 1828

Asa fœtida or Seagumney but with few drops of Almond oil,

Camphor. Succ. Camphorae Cor Aurist.

In a wooden vessel of Opium, dissolved in cold water and in warm water entirely & filled.

83562.

THE

PRESCRIBER'S PHARMACOPŒIA:

CONTAINING

ALL THE MEDICINES

IN

The London Pharmacopœia,

ARRANGED IN CLASSES ACCORDING TO THEIR ACTION, WITH THEIR COMPOSITION AND DOSES.

BY

A PRACTISING PHYSICIAN.

SECOND EDITION
CORRECTED AND ENLARGED.

LONDON:
J. CHURCHILL, PRINCES STREET, SOHO.
MDCCCXLIII.

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

PRINTED BY C. ADLARD, BARTHOLOMEW CLOSE.

TO

JOHN CONOLLY, M.D.

RESIDENT PHYSICIAN OF THE HANWELL ASYLUM,

In sincere admiration and grateful acknowledgment of his noble and successful efforts to ameliorate the condition of the poor Lunatic, by the substitution of a rational system of moral discipline for mechanical restraint, and parental care and kindness for violence and brute force, this little work is, on public grounds, inscribed

BY

THE AUTHOR.

ADVERTISEMENT.

The very favorable reception which this little work has received from the profession, evinced by the exhaustion of a large impression within the year, has satisfactorily proved the justness of the author's opinion, that it was wanted, and would be useful. It is hoped that the present Edition, improved as it is in several respects, will be found still more completely to fulfil its object. In preparing it for the press, care has been taken to correct and amend some defects which were discovered on a close examination. Numerous additions have been made, and several changes have been adopted in the plan and arrangement, which will render the work still more useful. The principal of these are the following:—

1. The arrangement of the different CLASSES of Medicines, in alphabetical order, as well as the individual articles in each class.

2. The separation, under a distinct head, of the external and chirurgical remedies from those for internal use.

3. The addition, in an Appendix, of many useful Tables.

4. The reduction of all the weights and measures (with one or two trifling exceptions) to the same denomination, or at least to the same class of signs, viz., grains, scruples, drachms, ounces, (gr., ℈, ʒ, ℥); the measures of pint and gallon (O, cong.) being now rendered in ounces.

It has been thought unnecessary to prefix the *f* (*fluid*) to the ℥ and ʒ when representing *measured* quantities, as the omission can lead to no mistake, every one knowing that solids are weighed, and fluids measured.

N.B. In stating the *composition* of medicines, the exact *quantities* given in the Pharmacopœia have not always been retained, but the *proportions* only.

Nov. 1, 1842.

ADVERTISEMENT

TO THE FIRST EDITION.

As this little work had its origin in a want daily experienced by the compiler in his practice, he believes that it will be useful to a numerous class of practitioners who possess a memory of the same general character as his own. He has always had great difficulty in calling to mind, at will, a number of heterogeneous particulars which had not been originally contemplated in a systematic order, although he might be well acquainted with them individually. This difficulty he has often painfully experienced when attempting to pass in review the various drugs and offi-

cinal formulæ suited to fulfil any special indication that presented itself in the treatment of a disease: and he has frequently witnessed, in the practice of others, a barrenness of prescription and a consequent confined range of resources, originating in the same cause, which could not fail to be injurious to the patient and the reputation of the physician. It is expected that the habit of viewing the articles of the Materia Medica in some such order as that adopted in the present compilation will tend, in some degree at least, to remedy these evils.

It is further believed that practitioners, from forgetfulness of the officinal preparations, are often led to prescribe extemporaneous formulæ while there exist better substitutes in the pharmacopœia; and it is hoped that the marshalling together all the various compound forms of medicine under the title of the main ingredient, as in these tables, will at once facilitate and simplify the labours of the prescriber.

It is not pretended that the classification of medicines here adopted is even moderately

accurate. One perfectly accurate is impossible. All that is intended or hoped for is an arrangement that will allow such a division of the substances as may be at once simple and practically useful. No attempt at scientific refinement in classification has been made. All the older and more common divisions and terms have been retained, as likely to be best understood and best remembered; and no effort has been made to prevent the repetition of the same medicines in different sections of the classification.

Perhaps in a work of such slight pretensions as this, it is hardly necessary to advert to the sources whence its materials are derived. It may, however, be as well to state that wherever the pharmacopœia and his own knowledge failed him, the author confidently turned to the inexhaustible store provided in Dr. Pereira's Elements of Materia Medica. In minor matters he has also benefited by the excellent Compendium of Dr. Lane.

It will, perhaps, be remarked that the doses of medicines are, in many instances, below the usual standard,—at least in their minor

term. This is not unintentional; as the author is of opinion that the general habit of practitioners in this country is to prescribe medicines in doses not merely unnecessarily but injuriously large.

May, 1841.

CONTENTS.

Remedies for Internal Use.

	PAGE
ACIDS (ANTALKALINES) . .	3
ALKALINE REMEDIES (ANTACIDS)	4
ALTERATIVES, DEOBSTRUENTS .	7
ANTHELMINTICS . . .	12
ANTISPASMODICS . . .	15
AROMATICS, AROMATIC STIMULANTS	20
AROMATIC STIMULANT BITTERS .	25
ASTRINGENTS	29
CARMINATIVES . . .	35
DIAPHORETICS	39
DILUENTS, DEMULCENTS . .	42
DIURETICS	47
EMETICS	54
EMMENAGOGUES . . .	56
ERRHINES	58
EXPECTORANTS . . .	59
NARCOTICS, SEDATIVES . .	61
PURGATIVES	70
REFRIGERANTS . . .	83
SIALAGOGUES, MASTICATORIES .	87

PAGE

STIMULANTS . . . 88
TONICS (MINERAL) . . . 98
TONICS (VEGETABLE) . . . 103

Remedies for External and Local Use.

CATAPLASMATA (POULTICES) . 109
CAUSTICA (ESCHAROTICA) . . 111
CERATA (OINTMENTS) . . 113
EMPLASTRA (PLASTERS) . . 118
ENEMATA (INJECTIONS) . . 120
METHODUS ENDERMICUS . . 121
GARGARISMATA (GARGLES) . 122
LINIMENTA (LINIMENTS) . . 123
PULVERES (POWDERS) . . 127
UNGUENTA (OINTMENTS) . . 113
INHALATIONES . . . 128

Appendix.

POISONS AND COUNTERPOISONS . 131
TEMPERATURE OF BATHS . . 137
PROPORTION OF OPIUM, &c. . 138
DOSES ACCORDING TO AGE . . 139
MINERAL WATERS . . . 140
SALINE DRAUGHTS . . . 142
INDEX 143

PART I.

REMEDIES FOR INTERNAL USE.

WEIGHTS AND MEASURES

USED IN MEDICINE.

WEIGHTS.

Pound.	Ounce.	Drachm.	Scruple.	Grain.
1 =	12 =	96 =	288 =	5760
	1 =	8 =	24 =	480
		1 =	3 =	60
			1 =	20

MEASURES.

Gall.	Pint.	Ounce.	Drachm.	Minim.	Imp. grains.
1 =	8 =	160 =	1280 =	76800 =	70000
	1 =	20 =	160 =	9600 =	8750
		1 =	8 =	480 =	437·5
			1 =	60 =	54·7
				1 =	0·91

THE PRESCRIBER'S

PHARMACOPŒIA.

PART I.

ACIDS. (ANTALKALINES.)

ACIDUM CITRICUM. (Refrigerants.)

ACIDUM HYDROCHLORICUM DILUTUM. (Tonics.)

ACIDUM NITRICUM DILUTUM. (Tonics.)

ACIDUM SULPHURICUM DILUTUM. (Tonics.)

ACIDUM TARTARICUM. (Refrigerants.)

ALKALINE REMEDIES.
(ANTACIDS.)

AMMONIA.

1. LIQUOR AMMONIÆ. (Aqua Ammoniæ.) (STIMULANTS.)
Dose. ♏v–xx, (in watery vehicles.)

2. AMMONIÆ SESQUICARBONAS. (Olim A. SUBCARBONAS.)
Dose. Gr. ij–x, in pill or liquid. (STIMULANTS.)

3. LIQUOR AMMONIÆ SESQUICARBONATIS.
Comp. Am. sesquicarb. ℥iv, water ℥xx. (STIMULANTS.)
Dose. ʒss–j.

a. Spiritus Ammoniæ.
b. Spiritus Ammoniæ Aromaticus.
c. Spiritus Ammoniæ Fœtidus.
} STIMULANTS. ANTISPASMODICS.

CALX. (Calx recens. Rarely used in medicine.)

1. L
Com
th
Dose

2. C
wa
Dose

3. P
Com
6
Dose

4. P
Com
Dose

5. N
Com
ci
Dose

6. T
sh
Dos

CO
x

M

1.

1. LIQUOR CALCIS. (Lime water.)
Comp. A saturated solution. 11½ grs. in the pint of water at 60°.
Dose. ℥ij–vj, (with milk.)

2. CRETA PRÆPARATA. (Chalk purified by water.)
Dose. Gr. x–ʒj.

3. PULVIS CRETÆ COMPOSITUS.
Comp. 12 chalk, 8 cinnamon, 6 tormentil, 6 acacia, 1 long pepper.
Dose. Gr. x–xx.

4. PULVIS CRETÆ COMPOSITUS CUM OPIO.
Comp. 39 pulv. cret. comp. (No. 3), 1 opium.
Dose. Gr. v–ʒss. (¼ gr. opium in gr. x.)

5. MISTURA CRETÆ.
Comp. Chalk ℥ss, sugar ʒiij, mucilage ℥iss, cinnamon water ℥xviij.
Dose. ℥ss–ij.

6. TESTÆ PRÆPARATÆ. (Prepared oyster shells.)
Dose. Gr. x–ʒj.

CONFECTIO AROMATICA. (See AROMATICS.)

MAGNESIA.

1. MAGNESIÆ CARBONAS. (Olim SUBCARBONAS. Magnesia alba.) (PURGATIVES.)

2. MAGNESIA. (M. usta. Calcined M.)
Dose. Gr. v–xx (in aromatic water or milk). Better as antacid than No. 1. (PURGATIVES.)

POTASSA.

1. LIQUOR POTASSÆ.
Dose. ♏x–xxx. (In infus. aurant., beer, broth.)

[BRANDISH'S ALKALINE SOLUTION, is made by adding to a gallon of boiling water, pearlashes, ℥xij, quicklime and woodashes, of each ℥iv. It is stronger than the liq. pot., but was given in doses of ʒj to ʒiij in beer twice a day.]

2. POTASSÆ CARBONAS. (Potassæ subcarb.)
Dose. Gr. v–x–xxx.

3. POTASSÆ BICARBONAS. (Potassæ carb.)
Dose. Gr. v–x–xxx.

4. LIQUOR POTASSÆ CARBONATIS.
Comp. Carb. pot. ℥j, water ℥j.
Dose. ♏xx–ʒj.

5. LIQUOR POTASSÆ EFFERVESCENS.
Comp. Bicarb. pot. ʒj, water ℥xx, carb. acid. q. s.
Dose. ℥iv, ad libitum.

SAPO. (Hard Soap. Soda and olive oil.)
Dose. Gr. v–xx (chiefly in combination.)

SOD

1. S

Dose

2. S

of

Dose

3. S

Dose

4. L

wa

Comp

bo

Dose

by

co

ALT

AN

D

ARS

A

r

1.

Co

D

SODA.

1. SODÆ CARBONAS. (Olim SODÆ SUBCARB.)
Dose. Gr. v–xxx.

2. SODÆ CARBONAS EXSICCATA. (Deprived of water of crystallization.)
Dose. Gr. iij–xv.

3. SODÆ SESQUICARBONAS. (Ol. SODÆ CARB.)
Dose. Gr. x–ʒj.

4. LIQUOR SODÆ EFFERVESCENS. (Soda-water.)
Comp. Sesquicarb. sod. ʒj, water ℥xx, carbonic acid q. s.
Dose. ℥iv, or ad libitum. (Better made by adding carb. sodæ (ʒj to ℥xx) to the common bottle soda-water.)

ALTERATIVES. DEOBSTRUENTS.

ANTIMONIUM? (See EMETICS and DIAPHORETICS.)

ARSENICUM. (See TONICS.)

BARII CHLORIDUM. (Muriate of baryta.)

1. LIQUOR BARII CHLORIDI.
Comp. Bar. chlor. ʒj, water ℥j.
Dose. ♏ v–xx.

BROMINIUM. (Bromine.)
Dose and Form. Gr. $\frac{1}{16}$, gr. ss, dissolved in water. (Rarely used.)
1. POTASSII BROMIDUM.
Dose. Gr. j–x, in pill or solution.

CALCII CHLORIDUM. (Muriate of Lime.) See TONICS.)
1. LIQUOR CALCII CHLORIDI.
Comp. Chloride of calcium ℥iv, water ℥xij.
Dose. ♈j–ʒj.

GUAIACUM. (See DIAPHORETICS.)

HYDRARGYRUM. (Mercury.) (See PURGATIVES.)
1. HYDRARGYRUM CUM CRETA.
Comp. 3 mercury, 5 chalk.
Dose. Gr. ij–v.
2. PILULÆ HYDRARGYRI.
Comp. 2 mercury, 3 confect. roses, 1 liquorice.
Dose. Gr. j–v.
3. HYDRARGYRI OXYDUM.
Dose. Gr. ss–iij. (Rarely used.)
4. HYDRARGYRI CHLORIDUM. (Submurias. Calomel.)
Dose. Gr. $\frac{1}{4}$–j.
5. PILULÆ HYDRARGYRI CHLORIDI COMPOSITÆ. (Plummer's pill.)

Chemical Ref. of Ulmaceae

in Philip. - [illegible] cap Nat. Hy in moist
in terrestrial - in large [illegible] (Merrill)

Hydr. c Cretæ gr 12
P. Nitrat co. gr 12.

Comp. 1 calomel, 1 sulphuret of antimony, 1 treacle, 2 guaiacum, (1 gr. calomel in v.)
Dose. Gr. iij–v–x.

6. Hydrargyri Bichloridum. (Oxymurias. Corrosive sublimate.)
Dose. Gr. $\frac{1}{16}$–$\frac{1}{8}$.

7. Liquor Hydrargyri Bichloridi.
Comp. Bichlor. of merc., hydrochlorate of ammonia, āā gr. x; water ℥xx.
Dose. ʒss–ij in mild liquids, e. g. linseed tea. (Gr. ss of hyd. bi. in ℥j, gr. $\frac{1}{16}$ in ʒj.)

8. Hydrargyri Iodidum.
Comp. 5 mercury, 8 iodine.
Dose. Gr. j–iij.

9. Hydrargyri Biniodidum. (More energetic than No. 8.)
Comp. 8 mercury, 10 iodine.
Dose. Gr. $\frac{1}{4}$–j.

10. Pilulæ Hydrargyri Iodidi.
Comp. 1 iodide of mercury, 1 ginger, 3 confection of rose. (1 gr. of iod. of merc. in gr. v.)
Dose. Gr. v–xv.

11. Hydrargyri Bisulphuretum. (Cinnabar. Red sulphuret.)
Dose. (Rarely used internally.) For fumigation, ʒss.

12. Hydrargyri Sulphuretum cum Sulphure. (Black sulph., Æthiops mineral.)
Dose. Gr. v–xx.

13. Unguentum Hydrargyri fortius. (See Part II.)

14. Unguentum Hydrargyri mitius. (See Part II.)

15. Ceratum Hydrargyri compositum. (See Part II.)

16. Linimentum Hydrargyri compositum. (See Part II.)

17. Emplastrum Hydrargyri. (See Part II.)

18. Emplastrum Ammoniaci cum Hydrargyro. (See Part II.)

19. Unguentum Hydrargyri Nitratis. (See Part II.)

20. Unguentum Hydrargyri Nitrico-oxydi. (See Part II.)

21. Unguentum Hydrargyri Iodidi. (See Part II.)

22. Unguentum Hydrargyri Biniodidi. (See Part II.)

IODINIUM. (Iodine.)
Dose. Gr. ss–ij, in pills—for immediate use. (Rarely used in substance.)

1. TINCTURA IODINII COMPOSITA.
Comp. Iod. ʒss, iod. of pot. ʒj, sp. rect. ℥iiss.
Dose. ♏v–ʒj (♏xl contain gr. j iodine, gr. ij iod. of potass.)

2. IODIDUM HYDRARGYRI. (See HYDRARG.)

3. BINIODIDUM HYDRARGYRI. (See HYDRARGYRUM.)

4. POTASSII IODIDUM. (Hydriodas Potassæ.)
Dose. Gr. j–v–x–℈j.

5. LIQUOR POTASSII IODIDI COMPOSITUS.
Comp. Iod. of potassium gr. x, iodine gr. v, water ℥xx.
Dose. ʒij–℥j. (An oz. contains iodine, gr. ¼, iod. of potassium, gr. ss.)

6. PLUMBI IODIDUM.
Dose. Gr. ¼–ij.

7. UNGUENTUM PLUMBI IODIDI. (See PART II.)

8. UNGUENTUM IODINII COMPOSITUM. (See PART II.)

9. UNGUENTUM HYDRARGYRI IODIDI. (See PART II.)

10. UNGUENTUM HYDRARGYRI BINIODIDI. (See PART II.)

11. FERRI IODIDUM. (Ioduret of iron.)
Dose. Gr. ij–x, in distilled water, or spirit,

or thick colourless syrup. [A solution is kept in shops containing gr. iij in ʒj of water, which should always have a coil of wire in it.]

SARZA. (Smilax officinalis. Sarsaparilla. The root.)

Dose. ʒss–ij in powder.

1. Decoctum Sarzæ.
Comp. Sarza ℥iiss, water ℥xl, boil to ℥xx.
Dose. ℥iv–viij. (Usually with extract or syrup.)

2. Decoctum Sarzæ compositum. (Lisbon diet drink.)
Comp. Decoct. sarzæ ℥xl, boiled for 15 minutes with sassafras, guaiacum, liquorice, each ʒv, and mezereon ʒiss.
Dose. ℥iv–vj.

3. Syrupus Sarzæ.
Comp. Decoct. sarzæ and sugar.
Dose. ʒiij–℥j. (Of feeble power.)

4. Extractum Sarzæ. The watery extract.
Dose. ℈j–ʒij. (Rubbed down with water, flavoured with tinct. aurant. or volatile oil;—also made into pills.)

ANTHELMINTICS.

ASPIDIUM. (Filix mas. The male Fern. The root.)

Dose. ʒj–iij in powder.

[NOTE.—Nouffler's plan:—ʒiij in water ℥iv; after six hours, a bolus of calomel (gr. x.), scammony and gamboge.]

GRANATUM. (Punica granatum. Pomegranate. Bark of the *Root.*)

Dose. Decoction (℥j of fresh root in water ℥xx (boil to ℥x) ℥ij every half hour.

MUCUNA. (Dolichus pruriens. Cowhage. Hairs of the pod.)

Dose. Gr. v–x in syrup, treacle, or honey.

OLEUM TEREBINTHINÆ. (See DIURETICS.)

Dose and Form. ℥ss–ij, *on* aromatic water, with hot tincture, (e. g. Tinct. caps. or cinn. or card. c.); or as emulsion or linctus.

[NOTE.—GEOFFROYA. (G. inermis. The bark.—*Dub.*)
Dose. Powder ℈j–ʒss.

1. *Decoctum Geoffroyæ.*
Comp. Geoff. ℥ss, water ℥xx, boil to ℥x.
Dose. ℥ss–ij.]

SPIGELIA. (S. Marilandica. Indian pink. The root.)
Dose. Powder gr. x–xx, ʒj–iij, night and morning. Infusion (℥ss in ℥xx.) ℥ss–j, ℥iv–vj.

STANNUM. (Common tin.)
Dose. ʒj–ij–℥j, in treacle.

From other Classes.

ANTACIDS.
Carb. sodæ.
Liquor calcis.
Liquor potassæ.

PURGATIVES.
Aloes.
Calomel.
Cambogia.
Colocynthis.
Jalapa.
Scammonium.
Tiglii oleum.

TONICS.
Bitters.
Steel.

Valerian
Hyoscyamus
Ox. Gent. ana . Mentha vi
Hydrocotyle . ℥ iii.

Semen ex de St Ivor.
Ext. Anthemis. aa ℥ss.
Pil xii. ij bis in die.

also
Gentian Aqueous. ℥iss.
Confect. Aurantii ℥i.
Syrup Zingiber. ℥ss. Coch. min
Electuary.

Mist Camphor - ℥x
Sp. Amm. fetid ♏xx
Syrup ~~♏xx~~ ℥i
t. d. n.

Inf Camomile
Mist Camphor a ℥vi
Sp. Carawayi ℥ss.
bis in d.

ANTISPASMODICS.

ÆTHER SULPHURICUS. (See STIMULANTS.)

ACIDUM HYDROCYANICUM. (See NARCOTICS.)

AMMONIACUM. (Gum resin of Dorema A.)
Form and Dose. Gr. v–x–ʒss, in pill or emulsion. (EXPECTORANTS.)

1. MISTURA AMMONIACI. (Lac ammoniaci.)
Comp. Ammoniacum ʒj, water ℥iv.
Dose. ℥ss–j.

2. EMPLASTRUM AMMONIACI. (See PART II.)

3. EMPLASTRUM AMMONIACI CUM HYDRARGYRO. (See PART II.)

ASSAFÆTIDA. (Gum-resin of Ferula A.)
Dose and Form. Gr. v–℈j in pill, or emulsion; ʒij in ℥xx of water, as enema.

1. MISTURA ASSAFÆTIDÆ.
Comp. Assafætida ʒj, water ℥iv.
Dose. ℥ss–ij (or as *enema* for children.)

2. Tinctura Assafætidæ.
Comp. Ass. ℥iiss, rect. spir. ℥xx.
Dose. ʒss–ij.

3. Pilulæ Galbani compositæ. (Galbanum.)
Comp. 1 assafætida, 2 galbanum, 3 myrrh, 3 sagapenum, syrup, q. s.
Dose. Gr. v–x–℈j.

4. Spiritus Ammoniæ Fætidus.
Comp. Spiritus ammoniæ and assafætida.
Dose. ʒss–j (and extemporaneous with sp. ammon. and tinct. ass.)

BENZOINUM. (Styrax B. The Balsam.) (Expectorants. Stimulants.)
Dose. Gr. x. (Rarely used.)

1. Tinctura Benzoini composita.
Comp. Benzoin ℥iiiss, storax ℥iiiss, tolu ʒx, aloes ʒv, rect. spir. ℥xiv.
Dose. ʒss–ij. (Externally—*Friar's Balsam.*)

2. Acidum Benzoicum.
Dose. Gr. v–xx, in powder, with gum or sugar.

CAJAPUTI. (See Stimulants.)

CAMPHORA. (See Narcotics.)

CARDAMINE. (C. Pratensis. The Cuckoo-flower.)
Dose. ʒj–iij of the dried flowers.

CASTOREUM. (Preputial secretion of the beaver.)

Form and Dose. Gr. v–xx, in pill, powder, or mixture.

1. TINCTURA CASTOREI.
Comp. Castor ʒx, rect. spir. ℥xx.
Dose. ʒss–ij.

CROCUS. (C. Sativus. Saffron. The dried stigmata.)

Dose and Form. Gr. x–ʒss, in pill or powder. (Ineffective.)

1. SYRUPUS CROCI.
Comp. Saffron ʒv, sugar ℥xviij, water ℥x.
Dose. ʒj–ij, chiefly for colouring.

CUPRI AMMONIO-SULPHAS. (See TONICS.)

GALBANUM. (Gum resin of G. Officinale.)

Dose and Form. Gr. v–x–ʒss, in pill or emulsion.

1. PILULÆ GALBANI COMPOSITÆ.
Comp. 1 assafætida, 2 galbanum, 3 myrrh, 3 sagapenum, syrup q. s.
Dose. Gr. v–x–℈j.

2. EMPLASTRUM GALBANI. (See PART II.)

MASTICHE. (Pistacia Lentiscus. The resin. Gum Mastic.) (DIURETICS. EXPECTORANTS.)

Dose. Gr. v–x. [Also to divide more active medicines, as aloes in the "Pilulæ ante cibum" of the Parisian codex (Lady Webster's pill), viz.: Aloes opt. gr. xv., mastiche et fol. ros. rub. exsic. āā gr. v, syrup. absinth. q. s. Divide in pil. x.]

MOSCHUS. (Preputial secretion of the musk animal.)

Dose and Form. Gr. v–xv, in pill, bolus, or emulsion.

1. MISTURA MOSCHI.

Comp. Musk, gum, sugar, āā ʒiij, rose water ℥xx.

Dose. ʒj–iss, (℥j contains gr. ix.)

[MOSCHUS FACTITIUS. (Artificial Musk.)

Comp. Acid. nit. fort. ʒiiiss, ol. Succini ʒj.

Form. Tincture: Mosch. fact. ʒj, spir. rect. ʒx.

Dose. ʒj.]

OLIBANUM? (Gum resin of Boswellia thurifera. Frankincense.)

Dose. Gr. x–ʒss, in emulsion, with yelk of egg.

OPOPONAX. (Gum res. of O. Chironium.)

Dose. Gr. x–ʒss, in emulsion. (Rarely used.)

℞ valer rad in Pul. con ℥i mucil. Acacia ℥i
infus. valer. ℥ix Sacch. ℥i Sinap. Cant. ℥i
Misce. t. i. d. s. (Pani)

℞ infus. valerianæ ℥iss
Sinap. val. Co. ℥i.

℞ val. Rad in pulv. cont ℥iii
Cinnam. Lumbricis Pulv. ℥i.
Syrup: Aurantii q.s. mel
Fiat: ℥i mane et vesperi.

PETROLEUM? (Barbadoes tar.) (EXPECTORANTS.)
Dose. ♏x–ʒss, on sugar, in emulsion, or with aromatic waters.

SAGAPENUM. (Gum resin of Ferula S.)
Dose and Form. Gr. v–℈j, in pill.

1. PILULÆ GALBANI COMPOSITÆ. (See GALBANUM.)
2. PILULÆ SAGAPENI COMPOSITÆ.
Comp. 16 sagapenum, 1 aloes, syrup of ginger q. s.
Dose. Gr. v–x–xx (17 grs. contain 1 of aloes.)

STYRAX. (See EXPECTORANTS.)

SUCCINUM. (Amber.)
1. OLEUM SUCCINI.
Dose. ♏v–x, in mucilaginous fluids.

VALERIANA. (Root of V. officinalis.)
Dose. ℈j–ʒss, in powder.
1. TINCTURA VALERIANÆ.
Comp. Valerian ℥iiss, proof sp. ℥xx.
Dose. ʒss–ij.
2. TINCTURA VALERIANÆ COMPOSITA.
Comp. Valerian ℥iiss, aromat. sp. of ammonia ℥xx.
Dose. ʒj–ij.

ZINCI OXYDUM. (See TONICS.)

AROMATICS.

AROMATIC STIMULANTS.

CANELLA. (C. alba. Wild Cinnamon. The bark.)
Form and Dose. Powder gr. x–ʒss—used chiefly in the preparation of other formulæ.

CAPSICUM. (C. annuum. Cayenne Pepper. The berry.)
Form and Dose. Powder (in pills with bread crumb) gr. v–x; infusion (caps. ʒij, water ℥x,) ℥ss–j; gargle, with water or vinegar.

1. Tinctura Capsici.
Comp. Caps. ʒv, spirit ℥xx.
Dose. ♏x–ʒj. As gargle ʒj–iij, infus. rosæ ℥vj.

CARDAMOMUM. (Alpinia C. The seeds.)
Form and Dose. Gr. v–℈j in powder. (Rarely used alone, but much in composition.)

1. Tinctura Cardamomi.
Comp. Card. ℥iiiss, proof spirit ℥xl.
Dose. ʒj–ij, chiefly as an adjunct.

2. Tinctura Cardamomi composita.
Comp. Card. and carui seeds, of each ʒiiss, cochineal ʒj, cinnamon ʒv, raisins ℥v, proof sp. ℥xl.
Dose. ʒj–ij.

CARYOPHYLLUS. (C. Aromaticus. The Clove Tree. The unripe flowers.)
Dose. Gr. v–x in powder. (Little used.)

1. Infusum Caryophylli.
Comp. Cloves ʒiij, water ℥xx.
Dose. ℥j–ij. Combined with other med.
Incomp. Salts of iron, lime water.

2. Oleum Caryophylli.
Dose. ♏j–vj with pills.

CINNAMOMUM. (Laurus C. Cinnamon. The bark.)
Dose. Gr. x–ʒss in powder.

1. Pulvis Cinnamomi compositus.
Comp. 4 cinnamon, 3 cardamoms, 2 ginger, 1 long pepper.
Dose. Gr. x–ʒss. As a corrigent.

2. Aqua Cinnamomi.
Comp. From the oil, or distilled from the bark.
Dose. Ad libitum, as a vehicle.

3. Tinctura Cinnamomi.
Comp. Cinn. ℥iiiss, proof spirit ℥xl.
Dose. ʒj–℥ss.

4. Tinctura Cinnamomi composita.
Comp. Cinn. ℥j, cardam. ℥ss, long pepper ʒiiss, proof sp. ℥xl.
Dose. ʒj–ij. Used as the last.

5. Oleum Cinnamomi.
Dose. ♏j–iij, as an adjuvant and corrigent.

6. Spiritus Cinnamomi.
Comp. Oil of cinn. ʒij, proof spir. 1 gall., water ℥xx, distil to 1 gall.
Dose. ʒj–iij.

CONFECTIO AROMATICA.
Comp. 1 cinnamon, 1 nutmegs, 1 saffron, ½ cloves, ¼ cardamoms, 8 chalk, 12 sugar.
Dose. Gr. x–ʒj, in bolus or mixture.
Incomp. Acids, metallic salts.

CONTRAJERVA. (Dorstenia C. The root.)
Form and Dose. Powder ℈j–ʒss; infus. (Cont. ʒiij, water ℥vj) ℥j–ij. (Rarely used.)

CUBEBA. (Piper Cubeba. The berries.)
Dose. Powdered—Gr. v–x–ʒij.

1. Tinctura Cubebæ.
Comp. Cubebs ℥iiss, rect. spir. ℥xx.
Dose. ʒj–iij.

INULA. (I. Helenum. Elecampane. The root.)
Form and Dose. Powder ℈j–ʒij; decoction (℥ss, water ℥xx) ℥j–ij.

MYRISTICA. (Nutmeg. The nut of the Myristica Moschata and the Arillus, Mace.)
Dose. Gr. x–ʒss.

1. Oleum Myristicæ. (See Part II.)
Dose. ♏ij–vj. (Externally stimulant.)

2. Spiritus Myristicæ.
Comp. Nutmegs ℥iiss, proof spir. 1 gall., water ℥xx, distil to 1 gall.
Dose. ʒj–℥ss.

PIMENTA. (Myrtus P. Allspice. The unripe berries.)
Dose. Powder, gr. x–ʒj.

1. Oleum Pimentæ.
Dose. ♏ij–vj.

2. Spiritus Pimentæ.
Comp. Pimenta ℥iiss, proof spir. 1 gall., water ℥xx, distil to 1 gall.
Dose. ʒj–iv.

3. Aquæ Pimentæ.
Comp. Pimenta ℥xij, proof spir. ℥vij, water 2 galls., distil to 1 gall.
Dose. ℥j–ij. (A vehicle and flavourer.)

PIPER LONGUM. (Long Pepper. The unripe spadix.)
Dose. Gr. v–℈j. (A condiment.)

PIPER NIGRUM. (Black Pepper.)
Dose. Gr. v–℈j. In powder or pills.

1. Confectio Piperis Nigri. (Ward's Paste.)
Comp. Pip. nig., inula (elecampane) āā ℥iv, fænic. sem. ℥xij, mell. et sacch. āā ℥viij.

SINAPIS. (S. nigra. The seed.) (Emetics.)
Form and Dose. Mustard whey (bruised seeds or powder ℥ss, milk ℥xx—strain,) ℥iv.

1. Cataplasma Sinapis. (See Part II.)

ZINZIBER. (The rizoma or root.)
Dose. Powder gr. v–x–℈j; infusion (ginger tea—Ginger ʒij–℥ss, water ℥vj), ℥ss–j.

1. Tinctura Zinziberis.
Comp. Ginger ℥iiss, rect. spirit ℥xl.
Dose. ʒj–ij.

2. Syrupus Zinziberis.
Comp. Ginger ℥iiss, sugar ℥xxx, water ℥xx.

Decorti Cinnam. Coriandri
Aqua. Rosa cum ℥ iv
P. Myrtilli gr iv
Sp. Opii m iiii. 2 i. d.

Aquæ Cichorei ℥ vi
Aquæ Cinnamomi ℥ iv
Syrup Papav. ℥ i.
Sacch. dam. vii i. d. s.

AROMATIC BITTERS. STIMULANT BITTERS.

ABSINTHIUM. (Artemisia A. Wormwood. The flowering summits.)
Dose and Form. Powder ℈j–ʒj; infusion (℥j in ℥xx water) ℥ss–ij; extract (Dub.) gr. x–℈j.
Incomp. Sulphates of iron and zinc.

ACORUS. (A. calamus. Sweet Flag. The root.)
Dose and Form. Powder, ℈j–ʒj; infusion (Acor. ℥j, water ℥xx) ℥j–ij, joined with other tonics.

ANTHEMIS. (A. nobilis. Chamomile Flowers.)
Dose and Form. Powder, gr. x–ʒss, (seldom used); extract (Ed. Dub. watery) gr. v–x–℈j.

1. Infusum Anthemidis.
Comp. Chamomile ʒv, water ℥xx.
Dose. ℥j–ij.
Incomp. Iron, bichlor. hydr., infus. cinch., isinglass.

2. Oleum Anthemidis.
Dose. ♏j–v. (Stimulant. Antispasmodic.)

AURANTII CORTEX. (Citrus vulgaris. Bitter Orange. The peel.)
Dose. Powder gr. x–ʒss. (Rarely used.)

1. Infusum Aurantii compositum.
Comp. Orange peel ℥ss, lemon peel (fresh) ʒij, cloves ʒj, water ℥xx.
Dose. ℥j–ij.
Incomp. Sulph. ferr., infus. cinch. cord., lime water.

2. Tinctura Aurantii.
Comp. Orange peel ℥iijss, proof spirit ℥xl.
Dose. ʒj–iij.

3. Confectio Aurantii.
Comp. Orange peel ℥j, sugar ℥iij.
Dose. ʒj–ss, and as a vehicle for powders: e. g. ferr. sesquioxyd. &c.

4. Syrupus Aurantii.
Comp. O. peel ℥iiss, sugar ℥xxxvi, water ℥xx.
Dose. ʒj–iij. Chiefly to flavour saline and stomachic draughts.

5. Aqua Florum Aurantii.
Comp. Or. flowers ℥xxx, spir. rect. ʒxiv, water ½ gall. For flavour, and as a vehicle only.

6. Oleum Aurantii.
Dose. ♏v–x. Stimulant. For flavour.

AURANTIUM. (Citrus A. Sweet Orange. The peel.)
Form and Dose. Powder gr. x–ʒss. Infusion as a substitute for the bitter orange.

CASCARILLA. (Croton C. The bark.)
Dose. Powder gr. x–ʒss.

1. Infusum Cascarillæ.
Comp. Casc. ℥iss, water ℥xx.
Dose. ℥j–ij.

2. Tinctura Cascarillæ.
Comp. Casc. ℥iiss, proof sp. ℥xx.
Dose. ʒj–ij.

3. Mistura Cascarillæ compositæ.
Comp. ℥viiiss infus. casc. (No 1), ℥j tinct. camph. c., ℥ss acet. scillæ.
Dose. ℥j–iss. (Expectorants.)

CUSPARIA. (Angustura Bark.)
Dose. Powder gr. x–ʒss. (Rarely used.

1. Infusum Cuspariæ.
Comp. Cusp. ʒv, water ℥xx.
Dose. ℥j–ij (with tinct. cinn. added).

LIMONES. (Citrus Limonum. Lemon. The fruit.)

1. Limonum Cortex. (Lemon peel.)
Form and Dose. Powder gr. x–℈j. (Rarely used except in other preparations, q. v.)

2. Oleum Limonum.
Dose. ♏j–v.

LUPULUS. (Humulus L. The Hop. The dried strobiles.)

Form. In substance as a pillow. The Lupulinic grains or yellow powder. And—

1. Infusum Lupuli.

Comp. Hops ʒvj, water ℥xx.

Dose. ℥j–ij.

Incomp. Acids, alkalies, sulph. ferr., tart. emet., alcohol.

2. Tinctura Lupuli.

Comp. Hops ℥iij, proof spirit ℥xx.

Dose. ʒss–ij.

3. Extractum Lupuli. (A watery extract.)

Dose. Gr. v–℈j.

[Note. *Lupulina.* Yellow powder. (Not officinal.)

Dose and Form. Powder or pills gr. vj–xij. *a. Tinctura Lupulinæ.* (Edinb.)

Comp. Lupulinic grains ℥j, spirit ℥viij.

Dose. ʒss–ij.]

Spir. Ol. Sulph. C
Ʒ ℥ Spir m xxx
Aquae M. Pip ℥ vii
in alternis Menorrhagia,
vel Pulv. Spir ⅓
Herb. Aut gr ii
C. Ros-Sal. gr.

Infus. Canaillae ℥ i
Aq. Pimentae ℥ ss
S. Salina C. ℥ iss
Syr Zingib. ℥ i

Spir. Cerebrith Co. m xv. vel. xl
Mucil. Acaciae ℥ vii
Spir. Lavandul. Co. ℥ i.
Syr. v. f. h.

Tonicum S. Cubebis. Ol. Cassiae
a Cahescens. in constit. menorrhagia
m xv a xx in ℥ i mentae

ASTRINGENTS.

ACIDUM SULPHURICUM DILUTUM. (See Tonics, Refrigerants.)

ACIDUM ACETICUM. (Refrigerants.)

ALUMEN. (Alum, sulphate of alumina and potassa.)
Dose. Gr. v–℈j.
Form. Solution (in aromatic water: an oz. of water dissolves ℥ss), pill, powder.

[Note. Alum whey: boil powdered Alum ʒij in a pint of milk, and strain. *Dose.* A wine-glassful.]
Incomp. Alkalies and their carbonates, tartrate of potash, vegetable astringents.

1. Alumen exsiccatum. (Dried alum.)
Dose. Gr. v–x.
Form. Solution, pill.

2. Liquor Aluminis compositus. (See Part II.)

ARGENTI NITRAS. (See Tonics.)

BORAX. (Sodæ Biboras.)

Dose. ℈j-ʒss.

Form. As a gargle, diluted. (Rarely used internally.)

1. Mel Boracis.

Comp. Borax ʒj, honey ℥j.

Form. As a gargle, diluted.

CATECHU. (Acacia Catechu. Extract of the wood.)

Dose. Gr. x—℈j.

Form. Powder, mixture (with syrup and gum), bolus.

Incomp. Alkaline salts destroy its astringency.

1. Infusum Catechu compositum.

Comp. Catechu ʒvj, cinnamon ʒj, water ℥xx.

Dose. ℥j-ij.

2. Tinctura Catechu.

Comp. Catechu ℥iiiss, cinnamon ℥iiss, proof spirit ℥xl.

Dose. ʒj-ij in chalk mixture, or other liquids.

CINCHONA. (See Tonics.)

CUPRUM.

1. Cupri Sulphas.

Dose and Form. Gr. $\frac{1}{8}$-$\frac{1}{4}$-ss-ij (combined with opium.)

Hamburgh

Aceti pulliti gr v

Mucilaginis

ʒ Hyoscyami ℞xx.

Aqua.

or ℞. Acet.

℞xxii

Acet. distillat ℥

Sy. Papav ℥

Aqua Rosæ ℥iii

Aq. ℥iv

℥i 2 oz. h

Aceti pulliti gr iv.

ʒ e. Opii ℞x.

4ta q.s.h. Ante Prandium

FERRUM. (See TONICS.)

1. FERRI SULPHAS.

2. MISTURA FERRI COMPOSITA.

3. PILULÆ FERRI COMPOSITÆ.

4. TINCTURA FERRI SESQUICHLORIDI.

GALLÆ. (Oak Galls. Gemmæ Morbidæ.)

Form and Dose. Powder gr. x–xx. Infusion (galls ℥ss, boiling water ℥vj) ℥ss–iss.

1. TINCTURA GALLÆ.
Comp. Galls ℥iiss, proof spirit ℥xx.
Dose. ʒss–ij in fluids, as gargle; or lotion, diluted with water.
Incomp. Metallic salts, cinchona.

2. UNGUENTUM GALLÆ COMPOSITUM. (See PART II.)

GRANATUM. (Punica G. Pomegranate. Rind of the fruit.)

Dose and Form. Powder ʒss–j.

1. DECOCTUM GRANATI.
Comp. Granat. ℥ij, water ℥xxx (to ℥xx.)
Dose. ℥iss–ij.
(Bark of the Root ANTHELMINTIC, q. v.)

HÆMATOXYLUM. (H. Campechianum, Logwood.)

1. Extractum Hæmatoxyli.
Dose. Gr. x–ʒss.
Form. Pill, mixture, with carminative waters.
[Decoctum Hæmatoxyli—Edinb.
Comp. Logwood ℥j, cinnamon ʒj, water ℥xx, (boil to ℥x.)
Dose. ℥j–ij. (For children ʒij–℥ss.)]

KINO. (Extract of Pterocarpus erinaceus.)
Dose and Form. Powder, gr. v–x–xx. Mixture with mucilage and the aromatic waters.
Incomp. Acids, alkalies, sulphate of iron.

1. Tinctura Kino.
Comp. Kino ℥iiiss, rectified spirit ℥xl.
Dose. ʒj–ij with chalk mixture.

2. Pulvis Kino compositus.
Comp. 15 Kino, 4 cinnamon, 1 opium, (1 gr. of opium in ♏j.)
Dose. Gr. v–♏j, in mixture.

KRAMERIA. (K. triandria, rhatany root.)
Dose. Gr. x–ʒss in powder, mixture, or electuary.

1. Infusum Krameriæ.
Comp. Krameria ℥j, water ℥xx.
Dose. ℥j–ij.
Incomp. Sulphate of iron.

[Extractum Krameriæ (Ed. Dub.)
Dose. Gr. x–xx, pill, mixture.]

OPIUM. (See Narcotics.)

J. H. ℥ vij
J. Calcken ℥ i
Opii MXXV
℥ i rebende

In pyrosi. valeat.

Pari
℞. Aqua. Rosa cont. ℥iss
Acidi sulph. m. xx
Syrupi Rhoeados. ℥i.
M.

Bari
℞ Succi Citri cont ℥iss
S. Opii m xv
S. Calcitrin ℥i.

PLUMBUM.

1. Plumbi Acetas.
Dose. Gr. ss–iv.
Form. Pill with opium, solution with vinegar and distilled water.
Incomp. Sulphuric acid, sulphates, liq. ammoniæ acetatis, &c.

QUERCUS. (Q. pedunculata. The oak. The bark.)

Decoct Quercus. ℥vi.
— Lini. ℥ss.
Tani.

Dose. Powder ʒss–ij.

1. Decoctum Quercus. (Lotio.)
Comp. Oak bark ʒx, water ℥xl (to ℥xx.)
Dose. ℥ij–iv. (Externally as gargle, injection, lotion.)

ROSA. (Rosa Gallica. The red rose petals.)

1. Infusum Rosæ compositum.
Comp. Rose ʒiij, water ℥xx, sugar ʒvj, dilute sulphuric acid ʒiss (℥j contains ♏ivss of acid.)
Dose. ℥j–ij. (Externally as gargle.)
Incomp. Alkalies and earths, sulphate of iron.

2. Confectio Rosæ Gallicæ.
Comp. Rose ℥j, sugar ℥iij.
Dose. ʒj.–ij, as a vehicle for calomel, quinine, &c.

3. Mel Rosæ.
Comp. Rose ℥ij, water ℥xxv, honey ℥xxx, (A honied decoction of Rose.)
Dose. ʒj–iv. (Chiefly in gargles.)

[TINCTURA ROSÆ. An admirable substitute for the infusion is prepared under this name by Mr. Squire, of Oxford street. ℞ Tinct. rosæ, syrup. āā ʒss, acid. sulph. dil. ♏vii. aquæ ʒxj, ft. Haust.]

TORMENTILLA. (Tormentil or Septfoil. The root.)

Dose and Form. Powder ʒss-j.

1. DECOCTUM TORMENTILLÆ.

Comp. Tormentil ℥ij, water ℥xxx (to ℥xx.)

Dose. ℥j–ij (used also as an injection in Leucorrhœa.)

ULMUS. (U. campestris. The bark.)

1. DECOCTUM ULMI.

Comp. Fresh elm bark ℥iiss, water ℥xl (to ℥xx.)

Dose. ℥ij–iv. (Rarely used.)

UVA URSI. (Leaves of the bear-berry.)

Dose. ℈j–ʒj of the powder (too bulky.)

1. DECOCTUM UVÆ URSI.

Comp. Uva ursi ℥j, water ℥xxx (to xx.)

Dose. ℥j–iij.

2. EXTRACTUM UVÆ URSI.

Dose. Gr. v–xv.

ZINCUM.

1. ACETAS ZINCI.

Dose. Gr. j–ij. (Rarely used internally.)

2. SULPHAS ZINCI.

Dose. Gr. j–v. (Much used externally.)

D. S. ß1x
Recde m xx
Pri m x.
Ad alu. cor. in
Pheris
Pari.

CARMINATIVES.

ANETHUM. (A. Graveolens. Dill. The fruit.)
Dose. Powder gr. v–ʒss.

1. Aqua Anethi.
Comp. Anethum ℥xviij, proof sp. ℥vij, water 2 gall. (or by diffusing the oil in water).
Dose. ʒj–iij (infants)–℥j–iij (adults).

ANISUM. (Pimpinella A. Anise. The seed.)
Dose. Powder gr. x–ʒss.

1. Oleum Anisi.
Dose. ♏v–xv (on sugar, or with sugar in mixture.)

2. Spiritus Anisi.
Comp. Anise ℥x, proof sp. 1 gall., water ℥xl.
Dose. ʒj–℥ss.

CARUI. (Carum C. Caraway. The seeds.)
Dose. Powder gr. x–ʒss.

1. Oleum Carui.
Dose. ♏j–v.

2. Spiritus Carui.
Comp. Carui ℥xj, proof spir. ½ gall., water ℥xx, distil to ½ gall.
Dose. ʒj–℥ss.

3. Aqua Carui.

Comp. Carui ℥xviij, water 2 gall., spir. ℥vij, distil to 1 gall.

Dose. ℥j–iv.

CORIANDRUM. (C. Sativum, Coriander. The seeds.)

Dose. Powder, gr. x–℈j–ʒj.

CYMINUM. (Cuminum Cyminum. Cumin. The seeds.)

Dose. Powder gr. x–ʒss. (Rarely used.)

DAUCUS. (D. Carota. Carrot. The seed.)

Dose. Powder, gr. x–℈j–ʒss.

FŒNICULUM. (F. Vulgare. Fennel. The seeds.)

Dose. Gr. x–ʒss.

1. Aqua Fœniculi.

Dose. ℥j–iij.

LAVANDULA. (Flower tops of L. vera. Lavender.)

Dose. Powder ℈j–ʒss. (Rarely used.)

1. Oleum Lavandulæ.

Dose. ♏ij–v.

2. Spiritus Lavandulæ.

Comp. Lavender ℥xv, rect. spir. ½ gall., water ℥xx.

Dose. ʒss–ij. (Rarely used.)

3. TINCTURA LAVANDULÆ COMPOSITA. (Red Lavender.)

Comp. Spir. Lavand. ℥xxx, spir. of rosemary ℥x, cinnamon and nutmeg āā ʒiiss, red saunders ʒv.

Dose. ʒss–ʒij.

LAURUS. (L. Nobilis. Sweet Bay. The berries and leaves.)

Dose. Of the berries powdered ʒss–j. The oil. Infusion. (Rarely used.)

MENTHA PIPERITA. (Peppermint.)

Dose. Powder gr. x–ʒss; infusion (ʒij water ℥viij) ℥j–ij. (Rarely used.)

1. OLEUM MENTHÆ PIPERITÆ.

Dose. ♏ij–v.

2. SPIRITUS MENTHÆ PIPERITÆ.

Comp. Ol. menthæ ʒiij, proof sp. 1 gall., water ℥xx.

Dose. ʒss–ij.

[NOTE. Essence of peppermint is made by dissolving ʒj of the oil in ℥j of rectified spirit.]

3. AQUA MENTHÆ PIPERITÆ.

Comp. Peppermint ℥xij (or oil ʒj) proof sp. ℥iiiss, water 1 gall.

Dose. ℥j–iij.

MENTHA PULEGIUM. (Pennyroyal.)

Dose. Powder (rarely used), ʒss–j.

1. OLEUM MENTHÆ PULEGII.

Dose. ♏ij–v.

2. Spiritus Menthæ Pulegii.
Comp. Ol. Puleg. ʒiij, proof spir. 1 gall., water ℥xx.
Dose. ʒss–ij.
3. Aqua Menthæ Pulegii.
Comp. Pennyroyal (dried) ℥xij (or oil ʒj), proof spir. ℥iiiss, water 1 gall.

MENTHA VIRIDIS. (Spearmint.)
Dose and Form. Powder, ʒss–ij (rarely used); infusion (ʒij–water ℥viij), ℥j–ij.
1. Ol. Menthæ Viridis.
Dose. ♏ij–v.
2. Spiritus Menthæ Viridis.
Comp. Oil ʒiij, spir. 1 gall., water ℥xx.
Dose. ʒss–ij.
3. Aqua Menthæ Viridis.
Comp. Dry leaves ℥xij, spir. ℥iiiss, water 1 gal.
Dose. ℥j–ij.

ORIGANUM. (Marjoram.)
Dose. Powder, Gr. x–ʒss; infusion (ʒij, water ℥viij), ℥j–ij. (Rarely used.)
1. Oleum Origani.
Dose. ♏ij–v.

ROSMARINUS. (Rosemary.)
Dose. Powder, Gr. x–ʒss (rarely used); infusion (ʒij, water ℥viij), ℥j–ij.
1. Oleum Rosmarini.
Dose. ♏ij–v.
2. Spiritus Rosmarini.
Comp. Oil ʒij, spir. 1 gall., water ℥xx.
Dose. ʒss–ij.

℞ Liq. Acet. Ammoniæ ℥iii
Ho ℥ix
Pulv. Opii. conf. gr. x.
M.

Enchiridion.

Antimon. Tartr. gr vi
Sacch. pur.
Pulv. Sod. tartr. aa gr xxiv
Syr. q. s. fit xxiv.
1 bis in die. superbib. 6 tae p.
ment. sog.

℞ Acid. Citrici ʒiv
Potass. ~~tart~~ carb ʒiss
Nitrat. ʒi.
Sacch. pur ʒvi
mucil. Amygdal. ʒviss
Sp. Myrist.
aet. Nitr. aa ʒiii

DIAPHORETICS.

AMMONIÆ SESQUICARBONAS? (See REFRIGERANTS.)

Dose. Gr. iij–vj.

1. LIQUOR AMMONIÆ ACETATIS.

Comp. Sesq. am. ʒix, (vel q. s.) Acet. dest. ℥xx. A saturated solution.

Dose. ʒiij–vj–℥j.

Incomp. Acids, potass, soda.

[*Saline Draughts.* Ammon. sesquicarb. ℈j, acid. citric. gr. xxiv, *vel* acid. tart. gr. xxv. *vel* succ. lim. ʒvj.]

ANTIMONIUM. (See EMETICS.)

1. ANTIMONII POTASSIO-TARTRAS.

Dose. Gr. $\frac{1}{12}$–ij.

2. VINUM ANTIMONII POTASSIO-TARTRATIS

Comp. Ant. pot. tart. ℈j, sherry ℥x (gr. j, in ℥ss.)

Dose. ♏x–xv–ʒj.

3. PULVIS ANTIMONII COMPOSITUS. (Pulvis Antimonialis.)

Comp. 2 antimonious acid, 3 phosphate of lime.

Dose. Gr. iij–x.

Form. Pill, powder.

DIOSMA. (D. crenata. Buchu. The leaves.)?

Dose. (Of the powder) ℈j–ʒss.

1. INFUSUM DIOSMÆ.

Comp. Diosma ℥j, water ℥xx.

Dose. ℥j–ij.

DULCAMARA? (Solanum D. The stalk.)

1. Decoctum Dulcamaræ.

Comp. Dulc. ʒx, water ℥xxx (to ℥xx.)
Dose. ℥ss–iss.

GUAIACUM. (With Diluents.)

1. The Resin.

Dose. Gr. v–xx.
Form. Pill, bolus, mixture.

2. Mistura Guaiaci.

Comp. Guaiacum ʒiij, sugar ℥ss, mucilage ℥ss, cinnamon water ℥xix.
Dose. ℥ss–℥ij (Guaiac. gr. ix in ℥j.)

3. Tinctura Guaici.

Comp. Guaiacum ℥iiiss, rectified spir. ℥xx.
Dose and Form. ʒj–iij, in mucilage, or syrup and water.
Incomp. Water (decomposes it.)

4. Tinctura Guaiaci composita.

Comp. Guaiacum ℥iiiss, aromatic spirit of ammonia ℥xx.
Dose. ʒss–ij in mucilage, or syrup and water.

IPECACUANHA. (Cephaelis I. The root.)

1. Pulvis Ipecacuanhæ. The powdered root.
Dose. Gr. ss–j.

2. PULVIS IPECACUANHÆ COMPOSITUS.

Comp. 1 Ipecacuan, 1 opium, 8 sulphate of potass, (gr. x, contain 1 gr. of opium.)

Dose. Gr. iiss–v–xx.

Form. Powder, pill, mixture.

3. VINUM IPECACUANHÆ.

Comp. Ipecacuanha ʒx, sherry ℥xx.

Dose. ♏xx–ʒj.

4. PILULÆ IPECACUANHÆ COMPOSITÆ.

Comp. 3 Pulv. ipec. comp., 1 squill, 1 ammoniac, mucilage q. s.

Dose. Gr. v–x (½ gr. opium in 10 grs.)

MEZEREUM? (Daphne M. Bark of the root.) (STIMULANTS, DIURETICS.)

Form and Dose. Decoction (ʒj in ℥xxx water, to ℥xx) ℥ij–vj.

SASSAFRAS? (See ALTERATIVES.)

Dose. Of the powder ʒss–j. (Rarely used.)

SENEGA? (See EXPECTORANTS, ALTERANTS.)

Dose. (Of the powder) gr. x–xx. (Rarely used.)

1. DECOCTUM SENEGÆ.

Comp. Senega root ʒv, water ℥xx (to ℥x.)

Dose. ℥j–ij.

SULPHUR?

1. SULPHUR PRECIPITATUM.

Dose. ʒss–j as an electuary, or suspended in milk.

DILUENTS. DEMULCENTS. EMOLLIENTS. PTISANS.

ACACIA. (Exudation from A. vera. Gum Arabic.)

Dose. ℈ss–j—ij.
Form. Powder, mixture.
Incomp. Acet. plumb., æther, spirits.

1. Mistura Acaciæ. (Mucilago acaciæ.)
Comp. Acacia ℥x, boiling water ℥xx.
Dose. ʒj–℥j.
Incomp. Acet. plumb., æther, tinctures.

ALTHÆA. (A. officinalis. Marshmallow. The root.)

Form. Decoction (A. ℥iss, water ℥xx.)
Dose. Of D. ad libitum, ℥j–ij subinde.

1. Syrupus Althææ.
Comp. Decoction of althæa with sugar.
Dose. ʒj–iij. (Readily ferments.)

AMYGDALA AMARA. (Bitter almonds.)

AMYGDALA DULCIS. (Sweet almonds.)

1. CONFECTIO AMYGDALÆ. (Almond confect.)

Comp. Amygd. ℥viij, acac. pulv. ℥j, sacch. ℥iv.

2. MISTURA AMYGDALÆ. (Almond emulsion.)

Comp. Amygd. confect. (1.) ℥iiss, water ℥xx.
Dose. ʒj–iij, ad libitum.

3. OLEUM AMYGDALÆ. (Oil of almonds. Expressed from both kinds.)

Dose and Form. ʒj–iij, in emulsion.

AMYLUM. (Fecula Sem. tritici. Starch.)

Form. Powder (externally); mixed in water.

1. DECOCTUM AMYLI. (Mucilago amyli. Starch emulsion.)

Comp. Amylum ℥ss, water ℥xx.
Dose. Ad libitum (for enema.)
Incomp. Preparations of iodine.

AVENA. (A. sativa. The common oat.)

Form. The meal in decoction, poultice, &c.

CETACEUM. (From the head of the Spermaceti whale. Spermaceti.)

Form and Dose. ʒss–iss in an emulsion with egg or sugar.

CETRARIA. (Lichen Islandicus. Iceland moss.)

1. Decoctum Cetrariæ.

Comp. Cetraria ʒv, water ℥xxx, boil to ℥xx.
Dose. ℥j–iv, ad libitum.

CYDONIA. (C. vulgaris. Common quince. The seeds.)

1. Decoctum Cydoniæ.

Comp. Quince seeds ʒij, water ʒxx.
Dose. ℥ij–iv, ad libitum.
Incomp. Alcohol, acids, metallic solutions.

FICUS. (F. carica. The dried fruit. Figs.)
Form. Unaltered; decoction, cataplasm.

GLYCYRRHIZA. (G. glabra. Common Liquorice. The root.)
Form and Dose. Decoction (rad. cont. ℥iss, water ℥xx,) ad libitum.

1. Extractum Glycyrrhizæ.

Form and Dose. In substance and mixture. Ad libitum. (Gr. x. covers the taste of a *black dose.*)

HORDEUM. (H. distichon. Barley. Decorticated seeds.)

1. Decoctum Hordei. Barley-water.
Comp. Barley, ʒx, water ℥xlv, boil to ℥xx.
Dose. Ad libitum.

2. Decoctum Hordei compositum.
Comp. Decoct. hord. ℥xl, fici concisi ℥iiss, glycyrth. rad. ʒv, uvar. pass. ℥iiss, aquæ ℥xx, boil to ℥xx.
Dose. Ad libitum.

LINUM. (L. Usitatissimum. Common Linseed. The seeds.)

1. Oleum Lini. (Linseed oil.)
Form. Enema, liniment.

2. Infusum Lini compositum. (Linseed tea.)
Comp. Lin. sem. cont. ʒvj, glycyrr. rad. ʒij, water ℥xx.
Dose. ℥ij–iv, or ad libitum.
Incomp. Alcohol. Acetate of lead.

3. Cataplasmi Lini. (See Part II.)

Also Althæa.

MALVA. (M. Silvestris. Common Mallow.)

1. Decoctum Malvæ compositum.
Comp. Mallow dried ℥j, chamomile dried ℥ss, water ℥xx.
Form. Enema, fomentation. // Enemata demulcent.

MEL. (Honey.)

1. Oxymel. (Mel. acetatum. Simple oxymel.)
Comp. Honey ℥xij, acetic acid ℥iij.
Dose. ʒj–℥j.

OLIVÆ OLEUM. (Olive Oil.)
Form. Enema, liniment.

TRAGACANTHA. (Concrete juice of Astragulus Tragacantha.)

Form and Dose. Powder or mixture, ad libitum.

1. PULVIS TRAGACANTHÆ COMPOSITUS.

Comp. 1 tragacanth, 1 starch, 1 pulv. acaciæ, 2 sugar.

Dose and Form. ℈j–ʒij, in powder or solution.

SARSAPARILLA. (See ALTERATIVES.)

TAMARINDUS. (See REFRIGERANTS.)

℞ Potassii Iodidi gr ii
Potassae Bicarbonatis ʒ i.
Cultori e aquae unciam.
Omni

℞ Infusi digitalis ℥ i.
Succi digitalis m xv.
Potassae Acetat gr x
Syrupi Caseae ℥ ss
Ter. a p.p. hora unciam. 5.

Succi Cantharidis m x
Spiri Aetheri Nitrici ʒ i
Mucilaginis Camphoratae ʒ x
Syrupi Zingiberis ʒ i.
Ter in die.

Aceti Scillae ℥ ss.
Spiri Aetheri Nitrici ʒ i
Decocti Senegae cont
Decocti Senegae ad ℥ x

DIURETICS.

CANTHARIS ? (Cantharides. Spanish fly.) (See STIMULANTS.)

Form and Dose. Pill, gr. ss–j–ij. (Rarely used.)

1. ACETUM CANTHARIDIS. (See PART II.)

2. TINCTURA CANTHARIDIS.

Comp. Canth. ʒj, proof sp. ℥x.

Dose. ♏x–ʒj, in demulcent liquids.

3. CERATUM CANTHARIDIS. (See PART II.)

4. EMPLASTRUM CANTHARIDIS. (See PART II.)

CHIMAPHILA ? (Pyrola Umbellata. Leaves of the Winter Green.)

1. DECOCTUM CHIMAPHILÆ.

Comp. Chimaphila ℥j, water ℥xxx, (boil to ℥xx.)

Dose. ℥j–ij.

Incomp. Sulphas ferri.

COLCHICUM ? (C. autumnale. Cormus and seeds.) (See PURGATIVES.)

DIGITALIS. (D. purpurea. The leaves and seeds.)
Dose. Gr. ss–jss, in powder or pill.

1. INFUSUM DIGITALIS.
Comp. Digitalis ʒj, water ℥xx, spirit of cinnamon ℥j.
Dose. ℥ss–j. (In former Pharmacopœias there were only ℥x of water.)
Incomp. Sulphate of iron, acetate of lead.

2. TINCTURA DIGITALIS.
Comp. Digitalis ʒij, proof sp. ℥xx.
Dose. ♏x–ʒss–j.

3. EXTRACTUM DIGITALIS. (Watery extract from the fresh leaves.)
Dose. Gr. ss–iij.

[NOTE. Pilulæ digitalis et scillæ.—ED. *Comp.* Digitalis and squill āā gr. j, conf. arom. gr. ij. confect. rosæ q. s. M ft. pil.]

DIOSMA. (See DIAPHORETICS.)

DULCAMARA? (Solanum D. Woody Nightshade. Bitter sweet. The stem.) (See DIAPHORETICS. NARCOTICS.)

1. DECOCTUM DULCAMARÆ.
Comp. Dulcamara ʒx, water ℥xxx, (to ℥xx.)
Dose. ʒj–iv.

Infusi digitalis ℥ ii
Hui. Ethereui Nit. ℥ i
Sq. Scillae ℥ ß
Decocti Saponii ʒ x
Tinctura Nucis vomicae gr v

Pil. Hydrargyri gr iii
Pulv. Scillae
——— Digit. a. gr i
bis in die.

J

F

1.
D

2.
C

D

P

D

1
C
D

2
D

P

1
D
D

2
D

JUNIPERUS. (Common Juniper. Tops and berries.)

Form and Dose. Berries (triturated with sugar) ʒj–ij. Infus. (J. ℥j, water ℥xv) ℥ij–iv.

1. OLEUM JUNIPERI.

Dose. ♏ij–vj, in pill or emulsion.

2. SPIRITUS JUNIPERI COMPOSITUS.

Comp. Juniper berries ℥xv, caraway and fennel āā ℥ij, proof sp. 1 gall., water ℥xl. Distil to 1 gall.

Dose. ʒij–℥ss, (an adjunct.)

PAREIRA ? (Cissampelos P. Pareira brava. The root.)

Dose. ʒss–j of the powder.

1. INFUSUM PAREIRÆ.

Comp. Pareira ʒvj, water ℥xx.

Dose. ℥j–iij, (used with the extract.)

2. EXTRACTUM PAREIRÆ. (Watery extract.)

Dose. Gr. x–ʒss.

POTASSA. (ANTACIDS. ALKALINES.)

1. ACETAS POTASSÆ.

Dose. ℈j–ʒjss, in diluents.

Incomp. Most acids and neutral salts.

2. CARBONAS POTASSÆ. (Olim POT. SUBCARB.)

Dose. Gr. x–ʒss.

[NOTE. ℈j is saturated by acid. cit. gr. xvij, acid. tart. gr. xviij, succ. lim. ℥ss.]

3. Bicarbonas Potassæ. (Olim Pot. carb.) (Milder than 2.)

Dose. Gr. x–ʒss.

[Note. ℈j is saturated by acid. cit. gr. xiv, acid. tart. gr. xv, succ. lim. ʒiiiss.]

4. Liquor Potassæ Carbonatis.

Comp. Carb. pot. ℥j, water ℥j.
Dose. ♏xx–ʒj.
Incomp. Acids, acidulous salts, &c.

5. Nitras Potassæ. Nitre. (See Refrigerants.)

Dose. Gr. v–ʒss.
Incomp. Sulphuric acid and its salts.

SCILLA. (S. Maritima. Squills. Recent bulb.) (See Emetics. Expectorants.)
Dose. Gr. v–xv.

1. Pulvis Scillæ. (Not officinal, but in use.) The dried bulb powdered.

Dose. Gr. j–v, in pill combined.

2. Pilulæ Scillæ compositæ.

Comp. 1 squills, 2 ginger, 2 gum ammoniac, 3 soap.
Dose. Gr. v–xx.

3. Tinctura Scillæ.

Comp. Squill ℥iiss, proof spir. ℥xx.
Dose. ♏x–ʒss.

4.
C

D
I

5.
C
D

S

1
C

I

2
C

I

S

4. Acetum Scillæ.

Comp. Squill ℥iss, distilled vinegar ℥xij, proof sp. ℥j.

Dose. ʒss–ij in aromatic water.

Incomp. Alkalies, earths, and carbonates.

5. Oxymel Scillæ.

Comp. Honey ℥vj, vinegar of squill ℥v.

Dose. ʒj–ij.

SCOPARIUS. (Scytisus S. De Candolle. Broom. The fresh tops.)

1. Infusum Scoparii.

Comp. Scoparius ℥j, water ℥xx. [*Decoction* preferable. Scop. rec. ℥ss, water ℥xx, boil to ℥x.]

Dose. ℥j-ij.

2. Decoctum Scoparii compositum.

Comp. Fresh broom-tops, juniper berries, dandelion-root, āā ℥ss, water ℥xxx. Boil to ℥xx.

Dose. ℥j–ij.

SENEGA? (See Diaphoretics. Stimulants.)

Dose. Of the powder (rarely used) gr. x–xx.

1. Decoctum Senegæ.

Comp. Senega root ʒv, water ℥xx (to ℥x.)

ose. ℥j–ij.

SPIRITUS ÆTHERIS NITRICI. (Sp. of Nit. Ether. Sweet spirits of nitre.)
Dose. ʒss–ij.
Incomp. Sulphas ferri. Tinct. guaiaci.

TABACUM. (Nicotiana T. Tobacco. The leaves.) (NARCOTICS. PURGATIVES.)

1. ENEMA TABACI. INFUSUM TABACI. (See PART II.)

TARAXACUM? (Root of the dandelion.) (See TONICS. ALTERATIVES. PURGATIVES.)

1. EXTRACTUM TARAXACI. (Watery extract of fresh root.) Should be brown and bitter.
Dose. Gr. x–ʒss–j.

[NOTE. *Decoctum Taraxaci.* — Edinb. Tar. ℥iiiss, water ℥xx (to ℥x.) *Dose.* ℥j–ij.]

TEREBINTHINA. (Turpentine. Oils and resins from various species of the genus Pinus.)

(See PURGATIVES. ANTHELMINTICS.)

1. TEREBINTHINA VULGARIS. (Common turpentine.)
Dose and Form. ℈j–ʒj. (Not often internally.) In pill, emulsion, electuary.

2.

3.

4.
D

U

1.
C
D

2.
D

2. TEREBINTHINA CANADENSIS. (Liquid turpentine. Canada balsam.)

3. TEREBINTHINA CHIA. (Chian turpentine. Liquid resin. From the Pistacia Terebinthus.)

4. OLEUM TEREBINTHINÆ.
Dose and Form. ♏vj–ʒj. (Floating on aromatic water with tinct. capsici, in emulsion with mucilage, or *Linctus* with honey or aromatic syrup.)

UVA URSI? (See ASTRINGENTS, TONICS?)

1. DECOCTUM UVÆ URSI.
Comp. Uva ursi ℥j, water ℥xxx, boil to ℥xx.
Dose. ℥j–iij.

2. EXTRACTUM UVÆ URSI.
Dose. Gr. v–xv.

EMETICS.

AMMONIÆ SESQUI-CARBONAS.
(Ammoniæ Subcarbonas.)

Dose and Form. ʒss in any aqueous medium. (Rarely used.)

ANTHEMIS? (See Aromatic Bitters.)

1. Infusum Anthemidis. Chamomile tea.

Comp. Cham. ʒv, water ℥xx (ten minutes.)
Dose. ℥iv subinde (warm.)

ANTIMONIUM.

1. Antimonii Potassio-Tartras. (Antimonium Tartarisatum.)
Dose. Gr. j–iv in solution.

2. Vinum Antimonii Potassio-Tartratis. (Vinum Antimonii.)
Comp. ℈ij of ant. pot. tart. in ℥xx of sherry.
Dose. ℥ss–iss subinde (gr. j. in ℥ss.)
Incomp. Bitter and astringent infusions. Alkalies and their carbonates.

A

D

C
D

E

I
1
I
2
(
I

I

ASARUM. (Asarum Europæum. Asarabacca.)
Dose. Root or leaves in powder, ʒss–j. (Rarely used.)

CUPRI SULPHAS. (Blue vitriol.)
Dose. Gr. v–xv, in solution.

EUPHORBIUM. (Gum resin. Spurge.) (Rarely used.)

IPECACUANHA. (See DIAPHORETICS.)
1. PULVIS IPECACUANHÆ.
Dose. Gr. xv–ʒss in aqueous fluids.
2. VINUM IPECACUANHÆ.
Comp. ʒx of ipec. in ℥xx of sherry wine.
Dose. ʒss–j every ten minutes. (For children.)

LOBELIA. (Lobelia inflata. Indian tobacco.)
Dose. In powder, gr. xv–℈j; of tincture (lobelia ℥ij, spirit ℥xv,) ʒj–ij. (Rarely used.)

SCILLA. (Squills.) (See DIURETICS, NARCOTICS, EXPECTORANTS.)
Dose. Gr. v–xv. (Rarely used.)

SINAPIS. (S. nigra. Mustard.) (EXPECTORANTS.)
Dose. (Of the powder) ʒj–℥ss, in ℥iv–vj of warm water.

TABACUM. (Tobacco.) (NARCOTICS.)
Dose. Gr. v–x. (Rarely used.)

VERATRUM. (White Hellebore.) (See CATHARTICS.)
Form and Dose. Powder, gr. j–vj.

1. VINUM VERATRI.
Comp. White Hellebore ℥iv, sherry ℥xx.
Dose. ♏x–xxx.

ZINCI SULPHAS. (White vitriol.)
Dose. Gr. xv–ʒss, in solution.

EMMENAGOGUES.

(MENSTRUA ET PARTUM ACCELERANTIA.)

ERGOTA. (Secale Cornutum. Spurred Rye.) (NARCOTICS?)
Dose. Powder (Pulvis Ergotæ) gr. v-x–xx.
[*a. Infusum.* Ergot ʒj, boiling water ℥iv.
Dose. ℥iss.
b. Decoctum. Ergot ʒj, wat. ℥v, boil 10 min.
Dose. ℥ij.
c. Tinctura. Ergot ℥ss, spir. rect. ℥vj.
Dose. ʒj.
d. Vinum. (Amer. Ph.) Ergot ℥j, wine ℥viij, macerate 14 days.]

R
D

1.
C

D

S
D

A
A
C
C
E
C
E
E
E
S
S
S

RUTA. (Ruta Graveolens. Rue. The leaves.)
Dose. Powder ℈j–ʒss; Infusion (Rue ℥j, boiling water ℥xx,) ℥j–ij.

1. CONFECTIO RUTÆ.
Comp. Rue, caraway, bay berries (Laurus nobilis) āā ℥iss, sagapenum ℥ss, black pepper ʒij, honey ℥xvj. (See CARMINATIVES.)
Dose. ℈j–ʒj. (Also as an enema for children.)

SABINA. (Juniperus S. Savin. The tops.)
Dose. Powder gr. v–x. (Infusion. Oil.)

From other Classes.

ALOE.
ASSAFÆTIDA.
CANTHARIS.
CASTOREUM.
FERRUM.
GALBANUM.
HELLEBORUS NIGER.
HYDRARGYRUM.
IODINIUM.
SENEGA.
SINAPIS.

ERRHINES.

ASARUM. (See EMETICS.)

EUPHORBIUM. (See EMETICS.)

HELLEBORUS. (See EMETICS.)

TABACUM. (See NARCOTICS.)

EXPECTORANTS.

ALLIUM? (A. sativum. Garlic. The bulb.)
(STOMACHIC, DIURETIC.)
Dose. ʒj–ij of the fresh bulb.

AMMONIACUM. (See ANTISPASMODICS.)

ANTIMONII POTASSIO - TARTRAS.
(See EMETICS, DIAPHORETICS.)
Dose. Gr. $\frac{1}{12}$–$\frac{1}{4}$.

i ℞. Lilliae ℥x
A. Chinii ℥vi
Extr. Hyoscyam gr iv
Syrup. ℥x.

---

ore for a child
Sodae Lactis xxiv
C. Menth. ʒi
S. Chin ℥vi
Syrupi ʒiij
Aquae ℥i
ter in die 6-lis h.s. horis.

Pil. Hydrargyri gr iii.

Mist. Amygdal ℥i
b. Pecae ♏ xv
Syrup Papav. ʒi
Pot. Bicarb. gr xv
C ℥i Suc. Limon. Pari

bxg. Tiliae
Syrup Althea
mist. Acaciae ā ℥ss
Lenitiv Pari

Chill Aquae ℥iss
b. Pec. ʒiss
Sodae Bic. gr xii
Syr. Simp. ʒii
S. Opii ♏ iv
ʒii hora 2da ♏ & ℞.

Chille
Aquae Menth. ʒiss
S. Tiliae ʒiss
Carb. Sodae xii
Syr. Solut. ʒii
S. Opii Camphor. ♏
ʒi - ʒii 3ia

or Aqua Mentae ℥i
Chlorid. mucilag. ℥ss
Limon Acid. Sat. ʒi - ʒii
Syrup Limon ʒii
S. Opii gr. ii
ʒii 2da

ASSAFÆTIDA. (See ANTISPASMODICS.)

BALSAMUM PERUVIANUM. (Balsam from the incised bark of the Myroxylon Peruiferum. Liquid Balsam.)
Dose and Form. ʒss–j on sugar, in pill with powders, mucilage.

BALSAMUM TOLUTANUM. (Concrete Balsam.)
Dose and Form. Same as B. Peruvianum.

1. TINCTURA BALSAMI TOLUTANI.
Comp. Tolu ℥j, rect. spir. ℥xx.
Dose. ʒss–ij. (Water precipitates the resin.)

2. SYRUPUS TOLUTANUS.
Comp. Tolu ʒx, water ℥xx, sugar ℥xxx.
Dose. ʒj–iij. (To flavour.)

BENZOINUM. (See ANTISPASMODICS.)

COPAIBA. (Liquid resin.)
Dose and Form. ♏x–ʒj, on sugar, in water, in emulsion, in syrup, in pill, in capsules.

GALBANUM. (See ANTISPASMODICS.)

IPECACUANHA. (See EMETICS.)
Dose. Gr. ss.

MARRUBIUM? (M. Vulgare. Horehound.) (TONICS.)
[*Horehound Tea:* Marr. ℥j, water ℥xx.]

MASTICHE. (See ANTISPASMODICS.)

MYRRHA. (Balsamodendron M. Gum-resinous exudation. (TONICS.)
Form and Dose. Powder, pill, emulsion. gr. x–ʒss.

1. TINCTURA MYRRHÆ. (Seldom used internally.)

STYRAX. (S. officinale. The balsam.) (ANTISPASMODICS.)
Dose. Gr. v–x–xx, in pill (purified.)

1. PILULÆ STYRACIS COMPOSITÆ. (NARCOTICS. OPIUM.)
Comp. 3 storax, 1 opium, 1 saffron.
Dose. Gr. iss–iiss–x (gr. v. contains 1 gr. opium.)

SAGAPENUM. (See ANTISPASMODICS.)

SENEGA. (See DIAPHORETICS.)

SCILLA. (See DIURETICS.)

CHLORINUM. (Inhaled.)

IODINIUM. (Inhaled.)

MYRRHA. (Smoked.)

PIX LIQUIDA. (Smoked.)

STRAMONIUM. (Smoked.)

TABACUM. (Smoked.)

Conf. Ros Can ℥i Syrup Solut.
Succi Limon Rec. aa ℥ß.
Mucilag Acet. $\frac{1}{3}$ in ℥i aqua ℞:

Acid Sol ℥ii Syrup. Malva ℥ß
Aqua Rosa C. ℥xi - ℥i bis in d

Child
Decort. Glycyrrh ℥i
Aqua Amm. Acet. ℥ß
Oxymelli Scillae ℥ii
Syrupi Papav. alb. ℥ii
℥i - ℥ii 2da hor.

or
Lac. Ros. Scopa ℥iß
Carb. Ammon gr iv
C. Cinnam C. Syrupi Solut. ā ℥ii
℥i. ℥ii. Syrupi Papav. alb. ℥ii -

℞ Pulv. Jacobæi ℥ß (Rhubarb Elect.
Rhei. ʒi
Flor. Sulph.
Sulph. Potassæ aa ℥i.
Cort. Potassæ ℥i
Pulv Zingiber ℥ß
— Succi Mosch. ʒii
Mellis Rosæ ℔. ut fiat Elect.
Coch Jac. duo pro re n.

NARCOTICS. SEDATIVES. SOPORIFICS. ANODYNES.

ÆTHER. (See STIMULANTS.)

ACIDUM HYDROCYANICUM DILUTUM.

Comp. Real hydrocyanic acid and water.

Dose. ♏iij–v–x, in aqueous mixtures.

Incomp. Metallic oxides and carbonates.

[NOTE.—The dilute acid of the Lond. P. contains 2 per cent.; of the Dub. 1·6 per cent.; and of the Ed. 3·2 per cent. of the real acid. The acid of *Scheele's strength* varies; it is often twice or thrice as strong as the Lond. dilute acid.]

ACONITUM. (A. Paniculatum. Wolfsbane. Root and leaves.)

Dose. Of the powder, gr. j-iij. (Not to be relied on.)

1. EXTRACTUM ACONITI. (The inspissated juice.)

Dose. Gr. ss–j–iij. Uncertain.)

[NOTE. The following non-officinal preparations are preferable:

a. Tinctura Aconiti.
Comp. Aconite root, ℥vj, rect. spirit ℥xv.
Dose. ♏v, ter die. (Most valuable as embrocation in neuralgia.)
b. Extractum Alcoholicum Aconiti. (By evaporating the tincture.)
Dose. Gr. $\frac{1}{6}$–$\frac{1}{2}$, in pill.
c. Unguent. Aconiti. One part extract and two parts lard.]

2. Aconitina.
Dose. Scarcely admissible *internally.* (See Part II.)

ALCOHOL. (See Stimulants.)

BELLADONNA. (Atropa B. Deadly Nightshade. The leaves.)
Dose. Of the powder, gr. j–v. (The extract and tincture preferable.)

1. Extractum Belladonnæ. (The inspissated juice.)
Dose. Gr. $\frac{1}{2}$–iv. (More used externally.)

2. Emplastrum Belladonnæ.
(See Part II.)
[Note. Though not officinal, the following is useful:
Tinctura Belladonnæ.
Comp. Leaves of bell. ℥ij, proof spir. ℥vj.
Dose. ♏ xx–xxiv; or (saturated tincture) extract. bell. ʒx, proof spir. ℥xii. *Dose.* ♏ij–iij–vj.)

CAMPHORA. (Laurus C. A peculiar concrete.)

Dose. Gr. j–xv, in pill, or (better) emulsion.

1. MISTURA CAMPHORÆ.

Comp. Camphor ʒss, rect. spir. ♏x, water ℥xx (℥j = gr. iss of camphor.)

Dose. ℥j–ij, or ad libitum.

2. TINCTURA CAMPHORÆ. (Camphorated spirits of wine.)

Comp. Camph. ℥ijss, rect. spir. ℥xx.

Dose. ♏x–ʒss, (in saccharine or mucilaginous fluid; also externally.)

3. TINCTURA CAMPHORÆ COMPOSITA. (Paregoric elixir. Tinct. opii camphorata.)

Comp. Camphor gr. xxv, opium gr. xxxv, benzoic acid, gr. xxxvj, oil of anise ʒss, proof spir. ℥xx, (℥j contains nearly 2 grs. of opium, or ʒj = gr. ¼ nearly.)

Dose. ʒss–℥ss.

4. LINIMENTUM CAMPHORÆ. (See PART II.)

5. LINIMENTUM CAMPHORÆ COMPOSITUM. (See PART II.)

COLCHICUM. (PURGATIVES. DIURETICS.)

CONIUM. (C. maculatum. The leaves and fruit.)

Dose. Of the powder gr. ij–x.

1. TINCTURA CONII.

Comp. Hemlock ℥iiss, cardamoms ℥ss, proof spir. ℥xx.

Dose. ʒss–j.

2. EXTRACTUM CONII. (The inspissated juice.) (Often inert.)

Dose. Gr. ij–xx.

3. PILULÆ CONII COMPOSITÆ.

Comp. 5 ext. conii, 1 ipecacuan.

Dose. Gr. v–x (6 grs.=gr. j ipec.)

4. CATAPLASMA CONII. (See PART II.)

DIGITALIS. (DIURETICS.)

DULCAMARA. (DIURETICS, DIAPHORETICS, q. v.)

HELLEBORUS. (CATHARTICS, EMETICS, q. v.)

HYOSCYAMUS. (H. niger. Henbane. The leaves and seeds.)

Dose. Powder (rarely used) gr. iij–x.

1. EXTRACTUM HYOSCYAMI. (Inspiss. juice.)

Dose. Gr. v–x–℈j.

2. TINCTURA HYOSCYAMI.

Comp. Henbane ℥iiss, proof spirit ℥xx.

Dose. ʒss–ij.

℞ Opii contri. gr v. Aqua dest. ℥iij. Misce
fiat ejusdem ~~mixtura~~ ter quotidie.
℞ Colchicinæ ℥ss. Succi limonis. ℥i.
f. l. a. p. r. n. numero.

LACTUCARIUM. (Lactuca sativa. Lettuce. The inspissated juice.
Dose. Gr. ij–vj.
Incomp. Ammonia, alcohol.

LACTUCÆ EXTRACTUM. (Watery Extract of the same.)
Dose. Gr. v–xv.

LOBELIA. (See EMETICS. ANTISPASMODICS.)

LUPULUS. (See AROMATIC BITTERS.)

NUX VOMICA. (Strychnos Nux Vomica. Ratsbane. The seeds.)
Dose. Gr. iij–xij.

1. STRYCHNIA. (Six times as strong as the alcoholic extract of nux vomica.)
Dose. Gr. $\frac{1}{16}$–j.

[NOTE.—1. *Tinctura Nucis Vomicæ.*(Dub.)
Comp. Nux vom. ℥ij, rect. spir. ℥viij.
Dose. ♏ v–x.

2. *Extractum Nucis Vomicæ.* (Ed. Dub.) Spirituous extract.
Dose. Gr. ss–j–iij.

3. Brucia. (From the nux vomica bark.)
Dose. Gr. ss–v.]

OPIUM (and MORPHIA.) (Papaver Somniferum. The concrete juice of the unripe capsules.)
Dose and Form. Pill, powder, lozenge, electuary, gr. $\frac{1}{4}$–ss–j–ij–v–x.

1. PILULÆ SAPONIS COMPOSITÆ.

Comp. 1 opium, 4 soap.
Dose. Gr. iss–iiss–x (gr. v=opii gr. j.)

2. PILULÆ STYRACIS COMPOSITÆ.

Comp. 1 opium, 1 saffron, 3 storax.
Dose. Gr. iss–iiss–x (gr. v=opii gr. j.)

3. EXTRACTUM OPII PURIFICATUM (Watery extract: $\frac{1}{3}$ or $\frac{1}{4}$th more active than opium.)

Dose. Gr. $\frac{1}{4}$–iv.

4. TINCTURA OPII. (Laudanum.)

Comp. Opium ℥iss, proof spir. ℥xx. (♏ xix =gr. j.)
Dose. ♏ v–ʒj.

5. VINUM OPII. (Sydenham's liquid laudanum.)

Comp. Purified extract of opium ℥iiss, cinnamon ʒiiss, cloves ʒiiss, sherry ℥xl.
Dose. ♏v–ʒj, (about the same strength as tinct. opii, but more agreeable to taste.)

6. CONFECTIO OPII.

Comp. 3 opium, 4 long pepper, 8 ginger, 12 caraway, 1 tragacanth, syrup q. s. (36 grs.=opii gr. j.)
Dose. Gr. x–ʒj.

7. ENEMA OPII. (See PART II.)

8. LINIMENTUM OPII. (See PART II.)

9. TINCTURA CAMPHORÆ COMPOSITA. (See CAMPHOR.)
Comp. Camphor, opium, benzoic acid, &c.
Dose. ʒss–℥ss–(℥j=opii gr. ij nearly.)

10. PULVIS IPECACUANHÆ COMPOSITUS. (DIAPHORETICS.)
Comp. 1 opium, 1 ipecac., 8 sulph. potassæ.
Dose. Gr. iiss–v–℈j (gr. x=opii gr. j.)

11. PILULÆ IPECACUANHÆ COMPOSITÆ. (DIAPHORETICS.)
Comp. 3 pulv. ipec. c., 1 squills, 1 ammoniac.
Dose. Gr. v–x (gr. v=gr. $\frac{1}{3}$ opium.)

12. PULVIS KINO COMPOSITUS.) (ASTRINGENTS.) (One gr. of opium in ℈j.)

13. PULVIS CRETÆ COMPOSITUS CUM OPIO. (ANTACIDS.) (One gr. of opium in ℈ij.)

14. ACETAS MORPHIÆ.
Dose. Gr. $\frac{1}{8}$–ss–j.
Incomp. Mineral acids, alkalies.

15. HYDROCHLORAS MORPHIÆ. (Muriate of morphia.)
Dose. Gr. $\frac{1}{8}$–ss–j.

[*Morphiæ muriatis solutio.* ED. PH.—Hydr. morphiæ, gr. xviii, spir. rect. ℥j, water ℥iij. *Dose.* ♏x–xxx.

Trochisci morphiæ. ED. PH.—Hydr. morph. gr. v, tinct. tolu ʒj, sugar ℥vj,=130 lozenges, each containing gr. $\frac{1}{26}$ of morphia.

Morphia itself is little used from its insolubility.

Liquor Opii Sedativus. Battley's sedative.

Comp. Said to be a solution of the watery extract.

Dose. ♏ij–xx.

Acetum Opii, (Ed. Dub.) substitute for *black drop.*

Comp. Opium ℥iv, distilled vinegar ℥xvj.

Dose. ♏ij–xx.]

PAPAVER. (P. somniferum. The ripe capsules.)

1. Decoctum Papaveris. (See Part II.)

2. Extractum Papaveris. (Watery extract.)

Dose. Gr. ij–℈j.

3. Syrupus Papaveris.

Comp. A concentrated decoction and sugar.

Dose. (For infants,) ʒss–j; (adults,) ʒij–℥ss.

SABADILLA. (Helonias officinalis. The seeds.)—Used chiefly to yield Veratria, q. v.

STRAMONIUM. (Datura S. Thorn apple. Leaves and seeds.) (Expectorants. Antispasmodics.)

Dose. Leaves gr. j–ij, seeds gr. ss–j.

useful. where there will not answer

1. EXTRACTUM STRAMONII. (Watery extract.)
Dose. Gr. $\frac{1}{4}$–j.

[*Tinctura Stramonii.* (Ph. Amer.) *Comp.* Stram. seeds ℥j, proof sp. ℥viij. *Dose.* ♏x–xx.]

TABACUM. (See EMETICS. DIURETICS.)

TOXICODENDRON. (Rhus Toxicodendron. Sumach. The leaves.)
Dose. Powdered leaves gr. ss–iij.

VERATRIA. (Alkaloid from Sabadilla.)
Dose. Gr. $\frac{1}{12}$–ss in pill. (Rarely used internally.)
Comp. Veratria ʒj, rect. spir. ℥ij. (External.)
Unguentum Veratriæ. (See PART II.)

VERATRUM. (V. album. White Hellebore. The root.) (EMETICS. PURGATIVES.)
Dose. Of the powder gr. j–ij.

1. DECOCTUM VERATRI.
(*External.*) (See PART II.)

2. UNGUENTUM VERATRI.
(*External.*) (See PART II.)

3. VINUM VERATRI.
Comp. Hellebore ℥iv, sherry ℥xx.
Dose. ♏ x–xv.

PURGATIVES.

(Cathartics, Laxatives, Aperients, Eccoprotics, Drastics, Cholalogogues.)

1 ALOE. (A. Spicata. The inspissated juice.)

. EXTRACTUM ALOËS PURIFICATUM.
Dose. Gr. ss–x.

2. PULVIS ALOËS COMPOSITUS.
Comp. 3 aloes, 1 guaiacum, 2 pulvis cinnam. comp.
Dose. Gr. v–x.
Form. Powder, pill.

3. PILULÆ ALOES COMPOSITÆ.
Comp. 2 aloes, 1 extract of gentian, ol. carui et syrup. q. s.
Dose. Gr. j–x.

4. PILULÆ ALOËS CUM MYRRHA.
Comp. 2 aloes, 1 saffron, 1 myrrh.
Dose. Gr. j–x–xv.

[PILULÆ ALOËS ET FERRI, (Ed. Ph.)
Comp. 2 aloes, 3 ferri sulph., 6 pulv. cinnam. comp., 8 confect. roses.
Dose. gr. v–x.]

Infus. Senna

Sodæ Potassio Tartratis ℥iv.

Infusi Gentian. co ℘ℬ iv/p
Infusi Rhei ℘ℬ i
S. Cardamom. co ℘ℬ iii
Aqua Zingib. ℥i.
Pock. ij. hora post jantam.
Omni ij ali prandium.

Inf. Gent. co ℥ix Tonic
S. Gent. co ℥ii
Sp. Aurantii ℥i.

5. PILULÆ CAMBOGIÆ COMPOSITÆ.

Comp. 3 aloes, 2 camboge, 1 ginger, 4 soap.
Dose. Gr. iij–x–xv.

6. PILULÆ SAGAPENI COMPOSITÆ. (Baume de vie.)

Comp. 16 sagapenum, 1 aloes, syrup of ginger q. s.
Dose. Gr. v–x–xv.

7. DECOCTUM ALOËS COMPOSITUM.

Comp. Extract of liquorice ʒvij, carbonat of potass ʒj, aloes ʒjss, myrrh ʒjss, saffron ʒjss, water ℥xxx (boil down to ℥xx), compound tinct. of cardam. ℥vij.
Dose. ℥ss–ij.
Form. In other fluids, or simple.
Incomp. Acids, salts, &c. (See CARBONATE OF POTASS.)

8. TINCTURA ALOËS.

Comp. Aloes ℥j, extract of liquorice ℥iij, water ℥xxx, rectified spirit ℥x.
Dose. ʒij–℥j.
Form. Single, or in other fluids.

9. TINCTURA ALOËS COMPOSITA.

Comp. Aloes ℥ij, saffron ℥j, tincture of myrrh, ℥xx.
Dose. ʒj–ij.
Form. In other liquids, with other purgatives.

10. VINUM ALOËS.
Comp. Aloes ℥j, canella ʒij, sherry ℥xx.
Dose. ℥ss–ij. (Stomachic ʒj–ij).
Form. Simple, or in composition.

11. ENEMA ALOES. (See PART II.)

CAMBOGIA. (Gum resin of Stalagmitis Cambogioides.)
Dose. Gr. j–vj–x.
Form. Pill, powder, solution (with carb. of potass, &c.)—chiefly in composition.
1. PILULÆ CAMBOGIÆ COMPOSITÆ.
Comp. 2 camboge, 3 aloes, 1 ginger, 4 soap.
Dose. Gr. iij–x–xv.

CASSIA. (Cassia Fistula. The pulp of the pods.)
Dose. ʒij–℥j.
Form. Simple, but best in composition with other laxatives. (Not effective.)
1. CONFECTIO CASSIÆ.
Comp. 6 cassia pulp, 2 manna, 1 tamarind pulp, syrup of rose, q. s.
Dose. ʒij–℥j. (Not effective—not very eligible.)
2. CONFECTIO SENNÆ. (See SENNA.)

COLCHICUM. (The cormus and seeds of Meadow Saffron.)
1. COLCHICI CORMUS.
Dose and Form. Powder, gr. ij–viii.

2. Colchici Semina.
Dose and Form. Powder, gr. ij–viij.

3. Tinctura Colchici.
Comp. Colchicum seeds ℥iiss, pr. sp. ℥xx.
Dose. ♏x–xx–ʒij.

4. Tinctura Colchici composita.
Comp. Colch. seeds ℥j, spir. ammoniæ arom. ℥ xx.
Dose. ♏x–xx–ʒij.

5. Acetum Colchici.
Comp. Fresh colchicum cormus ℥j, acet. dest. ℥xvj, proof spirit ℥j.
Dose. ʒss–ij, in any mild fluid.
Incompat. Alkalies.

6. Vinum Colchici.
Comp. Dried colch. cormus ℥iv, sherry ℥xx.
Dose. ♏ x–ʒss–ij.

7. Extractum Colchici Cormi. (Watery Extract.)
Dose. Gr. j–iij.

8. Extractum Colchici Aceticum.
Dose. Gr. j–iij.
(See Alteratives. Emetics.)

COLOCYNTHIS. (Cucumis Colocynthis. The dried pulp of the fruit).

1. Colocynthidis Pulpa.
Dose. Gr. j–iv–x.
Form. In powder, decoction, or infusion. (Unmanageable, seldom used.)

2. EXTRACTUM COLOCYNTHIDIS. (Watery Extract.)
Dose. Gr. v–xv.
Form. Pill. (Keeps badly.)

3. EXTRACTUM COLOCYNTHIDIS COMPOSITUM.
Comp. 2 colocynth (spirituous extract of pulp), 4 extract of aloes, $1\frac{1}{3}$ scammony, 1 soap, $\frac{1}{3}$ cardamoms.
Dose. Gr. ij–v–xv.
Form. Pill, single or in combination.

4. ENEMA COLOCYNTHIDIS. (See PART II.)

ELATERIUM. (A fecula, from the fresh fruit of the Mormordica Elaterium.)

1. EXTRACTUM ELATERII. (Inspissated Juice.)
Dose. Gr. $\frac{1}{16}$–j.
Form. Pill. Aqueous solution.

HELLEBORUS. (H. niger. The root.)
Dose. Gr. iij–℈j. (Rarely used.)

1. TINCTURA HELLEBORI.
Comp. Hellebore ℥ijss, proof spirit ℥xx.
Form and Dose. ♏xx–ʒj. (Rarely used as purgative.)

[EXTRACTUM HELLEBORI. (Watery Extract.)
Dose. Gr. i–iij.]

℞ Elaterii grs.
Hydr. Chlorid
Pulv. Cabbiii aā grii
Cort. Aurantii ℥ss.
Fiat bolus nocte sumendus

HYDRARGYRUM.

1. Hydrargyrum cum Cretâ.
Comp. 3 mercury, 5 chalk.
Dose. Gr. j–v (alterative), gr. v–xv (laxative.)
Form. Powder, pill.
Incomp. Acids and acidulous salts.

2. Hydrargyri Chloridum. Calomel.
Dose. Gr. ss–j (alterative), gr. j–x (purgative).
Form. Pill, powder.
Incomp. Most salts, acids, and alkalies.

3. Pilulæ Hydrargyri.
Comp. 2 mercury, 3 confect. rosæ, 1 liquorice.
Dose. gr. j–iij–v–x.

4. Pilulæ Hydrargyri Chloridi compositæ. (Plummer's pill.)
Comp. 1 chloride of mercury (calomel), 1 oxysulphuret of antimony, 1 treacle, 2 guaiac.
Dose. Gr. iiss–v–x.

JALAPA. (Ipomæa Jalapa. The root.)

1. Pulvis Jalapæ.
Dose. Gr. x–ʒss.
Form. Powder, pill, bolus, single or (more generally) combined.

2. Pulvis Jalapæ compositus.
Comp. 1 jalap, 2 bitartrate of potash (cream of tartar), $\frac{1}{12}$ ginger.
Dose. ℈j–ʒj.
Form. Powder, mixture.
Incomp. Alkalies and alkaline earths, mineral acids, &c. (See Potassæ Bitart.)

3. Extractum Jalapæ. (Soft and hard.)

Dose. Gr. v–x–xv.
Form. Pill, powder.

4. Tinctura Jalapæ.

Comp. Jalap ℥v, proof spir. ℥xx.
Dose. ʒj–℥ss.
Form. In combination with other purgatives.

MAGNESIA.

1. Magnesia. (Calcined magnesia.)

Dose. Gr. x–xx–ʒss–j.
Form. Powder, electuary, mixture.

2. Magnesiæ Carbonas.

Dose. Gr. xv–ʒij.
Form. Powder, electuary, mixture.
Incomp. Acids, alkalies, most salts, &c.

3. Magnesiæ Sulphas. (Epsom Salts.)

Dose. ʒij–℥iss.
Form. In solution (an oz. of water dissolves an oz. of salt.)
Incomp. Muriates, nitrates, acetates, carbonates, &c.

MANNA. (Ornus Europæa. The concrete juice.)

Dose. ʒj–iij–℥iss.
Form. In solution, in milk, &c.; often with other purgatives.

Children

anna ℥ß Mucilag. ℥ß
Spuki Rosa ℥ii, m. cola et
ade Aquae menthae ℥i. ℥ii 3ª hora

hen. Tamar ℥i. Aquae menth ℥ß
anae ℥ii.
m. et adde Magnesiae ℈i.
S. Nitri ℥i
Spuki Rosa ℥ii

℥ii 4ª hora.

POTASSA.

1. Potassæ Acetas. (See Diuretics.)
Dose. ʒij-vj. (Diuretic ℈j–ʒj.)
Form. In solution (an oz. of water dissolves about ʒviss.)
Incomp. Sulphuric, nitric, hydrochloric acids, sulphates, &c.

2. Potassæ Sulphas.
Dose. Gr. xv–ʒj–vj (alt. gr. v–x–xx.)
Form. Powder, solution, more rarely (an oz. of water dissolves 24 grs.)
Incomp. Nitric and hydrocyan. acids, &c.

3. Potassæ Bisulphas. (Potassæ Supersulphas.)
Dose. Gr. x–ʒij.
Form. Powder, solution (soluble in twice its weight of water), combined with rhubarb, &c. (Less used than No. 2.)
Incomp. Alkalies, earths, carbonates, &c.

4. Potassæ Tartras.
Dose. ʒj–℥j.
Form. Solution (soluble when crystallized, in equal weights of water.
Incomp. Most acids and salts.

5. Potassæ Bitartras. (Cream of Tartar.)
Dose. ʒiv–vj.
Form. Solution, electuary, mixture. (Requires 120 parts of water to dissolve it.)
Incomp. Alkalies and alkaline earths, mineral acids, &c.

PRUNA. (Prunus domest. The dried fruit.)
Form and Dose. As fruit, dressed or undressed. Decoction in composition.

RHAMNUS. (Rhamnus Catharticus. Buckthorn. The berries.)

1. Rhamni Baccæ. (Baccarum Succus.)
Dose. Recent berries ℈j, dried berries ʒj, expressed juice ℥j. (Rarely used.)

2. Syrupus Rhamni.
Comp. Buckthorn juice, ginger, pimenta, and sugar.
Dose. ʒiij–℥j (rarely used); ʒj added to purgative draughts and electuaries.

RHEUM. (Rheum palmatum. Rhubarb. The root.)

1. Rhei Pulvis.
Dose. Gr. v–xxx.
Form. Powder, pill, electuary, mixture.

2. Infusum Rhei.
Comp. Rhubarb ʒiij, water ℥xx.
Dose. ℥j–iij. (stomachic, ʒij–vj.)
Incomp. Stronger acids. Metallic solutions, salts of iron, tart. emet. Inf. of cusparia bark, catechu, &c.

3. Tinctura Rhei composita.
Comp. Rhubarb ℥iiss, liquorice ʒvj, ginger ʒiij, saffron ʒiij, proof spir. ℥xl.
Dose. ʒij–℥jss.

4. EXTRACTUM RHEI.
Dose. Gr. v–xv.
Form. Pill. Solution in aromatic water.

5. PILULÆ RHEI COMPOSITÆ.
Comp. 4 rhub., 3 aloes, 2 myrrh, ½ soap, ol. carui. q. s.
Dose. Gr. v–xv.

[PULVIS RHEI COMPOSITUS. Ed. Ph. (Gregory's Powder.)
Comp. 1 ginger, 2 rhubarb, 6 magnesia.]

RICINI OLEUM. (Ricinus communis. Oil of the seeds. Castor oil.)
Dose. ʒj–℥jss.
Form. Pure on some liquid. Emulsion with mucilage, &c.

ROSA. (R. Centifolia. Damask rose. The petals.)

1. SYRUPUS ROSÆ.
Comp. Sugared decoction.
Dose. ʒij–vj, (for infants.)

SAPO. (See ANTACIDS.)

SCAMMONIUM. (Convolvulus Scammonea. Scammony. The gum resin.)
Dose. Gr. ij–x.
Form. Fine powder triturated with sugar, &c. In solution.

1. Pulvis Scammonii compositus.
Comp. 4 scammony, 4 ext. jalap, 1 ginger.
Dose. Gr. v–xv.
Form. Powder, pill, mixture, electuary.

2. Confectio Scammonii.
Comp. 2 scammony, 1 cloves, 1 ginger, oil of carui and syrup, q.s.
Dose. Gr. v–x–ʒj.

3. Extractum Colocynthidis compositum. (See Colocynth.)

SENNA. (Cassia lanceolata, and C. obovata. The leaves.)
Dose and Form. Powder ʒss–ij. (Not much used.)

1. Infusum Sennæ compositum.
Comp. Senna ʒxv, ginger ℈iv, water ℥xx.
Dose. ℥j–iij. Mostly in composition.
Incomp. Strong acids, metallic salts, lime water.

2. Confectio Sennæ. (Lenitive Electuary.)
Comp. 4 senna, 6 figs, 3 tamarinds, 3 cassia pulp, 3 prunes, 2 coriander, 1½ liquorice, syrup q.s.
Dose. ʒj–iv.

3. Tinctura Sennæ composita.
Comp. Senna ℥iiiss, caraway ʒiiiss, cardamoms ʒj, raisins ℥v, proof spirit ℥xl.
Dose. ʒj–℥j.

te mend p Sodæ. Potapis Sartrar Spunie

4. Syrupus Sennæ.
Comp. Senna ℥iiss, manna ℥iij, fennel ʒx, sugar ℥xv, water ℥xx.
Dose. (For children) ʒj–iij.

SODA.

1. Sodæ Phosphas.
Dose. ℥ss–jss.
Form. Dissolved in gruel or broth.

2. Sodæ Potassio-Tartras. (Soda Tartarisata. Rochelle salt.)
Dose. ʒij–℥j.
Form. Solution. Single or combined. (Soluble in 5 parts of water.)
Incomp. Most acids and acidulous salts except bitartrate of potass.

[Note. Seidlitz Powders. *Blue Paper.* Sod. pot. tart. ʒij, sodæ bicarb. ℈ij. *White Paper.* Acid. tart. ʒss.]

3. Sodæ Sulphas. (Glauber's salt.)
Dose. ʒij–℥jss.
Form. Solution. (An oz. of water dissolves ʒiiiss.) Taste disguised by a little lemon juice or bitart. potassæ.
Incomp. Fixed alkalies and their carbonates.

4. Sodæ Acetas.
Dose. ʒj–℥ss.
Incomp. The mineral acids.

SULPHUR. (S. Sublimatum. Flowers of Sulphur.)
Dose. ʒj–ij.
Form. Powder, electuary, suspended in milk, &c.

TAMARINDUS. (Tamarindus Indica. The pulp of the legume.)
Dose. ʒss–ij, as an adjunct.
Incomp. Salts of soda and potass.

TEREBINTHINÆ OLEUM. (Distilled oil from the resin of Pinus Silvestris.)

1. Terebinthinæ Oleum purificatum.
Dose. ʒj–iij–℥jss.
Form. Floating on any fluid. Emulsion.

2. Enema Terebinthinæ. (See Part II.)

TIGLII OLEUM. (Croton Tiglium. Croton Oil. Expressed from the seeds.)
Dose. ♏¼–ss–j.
Form. Pill, with bread or any extract. Emulsion.

VERATRUM. (White Hellebore.) (See Emetics.)

REFRIGERANTS.

(Antiphlogistics, Temperants, Febrifuges, Salines.)

ACETUM. (Common vinegar.)

1. Acetum Destillatum. (Distilled vinegar.)

Dose. ʒj–iij, with water and sugar.

2. Acidum Aceticum. (Seven times stronger than distilled vinegar.)

Dose. ♏ij–x, largely diluted.

ACIDUM CITRICUM.

Dose and Form. Gr. x–℈j, largely diluted in water, with sugar; or with the alkalies in the form of saline draught.

Incomp. Acids and alkalies.

[Note.—The following quantities of alkaline carbonates are required to saturate a scruple of Acid. Cit.: Pot. bicarb. gr. xxix, pot. carb. gr. xxiv, ammon. sesquic. gr. xvij, carb. sodæ gr. xlj, sod. sesquic. gr. xxiv.—*Pereira.*]

ACIDUM HYDROCHLORICUM DILUTUM.

Comp. Acid. hydrochlor. ℥j, water ℥iij.
Dose. ♏v–xx, largely diluted.

ACIDUM NITRICUM DILUTUM.

Comp. Acid. nitric. ℥j, water ℥ix.
Dose. ♏v–xx, largely diluted.

ACIDUM SULPHURICUM DILUTUM.

Comp. Acid. sulph. ℥iss, water ℥xivss.
Dose. ♏v–xx, largely diluted.
Incomp. Alkaline carbonates, metallic oxides.

ACIDUM TARTARICUM.

Dose. ℈ss–ʒj, dissolved in much water, also to saturate the alkalies for saline draughts.
Incomp. Alkalies and their carbonates.

ACETOSELLA. (Oxalis A. Wood sorrel.)

Use. Infused in water, or boiled in milk to form whey.

AMMONIA.

1. Liquor Ammoniæ Acetatis.

Comp. Am. sesquic. ʒix (*vel.* q. s.) acet. dest. ℥xx. (A saturated solution.)
Dose. ʒiij–vj.
Incomp. Acids and alkalies.

Potassæ Carbonat. gr xx
Acidi Citrici gr xvi
~~Aquæ Puttæ fʒi~~
Aquæ Flor. Aurant. fʒß
Syrupi — fʒi.
Aquæ Puttæ Puttæ fʒi.

[AMMONIÆ CITRAS. Amm. sesqui-carb. ℈j. Acid. citric. gr. xxiv, *vel* succ. limon. ʒvj, *vel* acid. tart. gr. xxvj, aquæ et sacch. q. s. (Saline draught.)]

AURANTIUM. (Citrus A. Orange. The fruit.)

LIMONES. (Citrus Limonum. The fruit.)

1. SUCCUS LIMONUM. (Lemon juice.) Diluted as lemonade.

[*Artificial Lemon juice:* Acid. citric. ℥viiiss, aquæ destill. ℥xvj, ol. limon. ♏iv–x.]

2. SYRUPUS LIMONUM.

Comp. Lemon juice ℥x, sugar ℥xv.

Dose. ʒj–iij, added to aqueous fluids.

MORA. (Morus nigra. The Mulberry. The fruit.)

1. SYRUPUS MORI.

Comp. Mulberry juice ℥x, sugar ℥xv.

Dose. ʒj–iij, added to aqueous fluids.

POTASSA.

1. ACETAS POTASSÆ ?

Dose. ℈j–ʒj, in diluent mixtures.

2. POTASSÆ BITARTRAS. (Cream of tartar.)

Dose. ʒj–ij in water largely diluted, ad libitum. (*Imperial:* cream of tartar ʒj, boiling water ℥xx, sugar, lemon-peel q. s. *Cream of tartar whey:* ʒij to ℥xx of boiling milk.)

3. POTASSÆ NITRAS. (Nitre.)
Dose. Gr. ij–℈j.
Incomp. Sulph. acid, alkaline sulphates.

4. POTASSÆ CARBONAS.

5. POTASSÆ BICARBONAS.

Saline draughts.

[(*a*) Pot. carb. ℈j, acid. cit. gr. xvij, *vel* acid. tart. gr. xviij, *vel* succ. lim. ℥ss.
(*b*) Pot. bicarb. ℈j, acid. cit. gr. xiv, *vel* acid. tart. gr. xv, *vel* succ. lim. ℥iiiss.]

PRUNA. (Prunes. The dried fruit.) (EMOLLIENTS. PURGATIVES.)

ROSA CANINA. (Dog-rose. The fruit—*Hips*.)

1. CONFECTIO ROSÆ CANINÆ. (Conserve of Hips.)
Comp. 3 hip-pulp, 5 sugar.
Dose and Form. A vehicle for pills, linctus, or electuary, ad libitum.

RUMEX. (Rumex acetosa. Sorrel. The leaves.)
Use. Infused in water, or to form whey.

SODA. (Citrate and tartrate.)]

1. SODÆ CARBONAS. (Olim SUBCARBONAS.)
2. SODÆ SESQUICARBONAS. (Olim CARBONAS.)

Saline Draughts.

[*a.* Sodæ carb. ℈j, acid. citric. gr. x; *vel* acid. tartar. gr. xi; *vel* succ. limon. ʒiiss.

b. Sodæ sesquicarb. ℈j, acid. citric. gr. xvij; *vel* acid. tartar. gr. xviij; *vel* succ. limon. ℥ss.]

[PULVERES EFFERVESCENTES. (Ed. Ph.)
Blue Paper. Bicarb. Sodæ, gr. xxxiij, *vel* bicarb. pot. gr. xl.
White Paper. Acid. tart. gr. xxx.]

TAMARINDUS. (T. Indica. The pulp.)

UVA. (Raisins stoned. The dried fruit.)

SIALAGOGUES. MASTICATORIES.

See STIMULANTS, ALTERATIVES, NARCOTICS.

ARMORACIA.
CARYOPHYLLUS.
HYDRARGYRUM.
MEZEREUM.
PIPER.
PYRETHRUM.
TABACUM.
ZINZIBER.

Spiritus Æthis sulph: ℥i
Phi. Ann. Aromatici

STIMULANTS.

ÆTHER SULPHURICUS.

Dose. ♏xx–ʒj.

1. Spiritus Ætheris Sulphurici compositus.

Comp. Æth. sulph. ℥viij, spir. rect. ℥xvj, ætherial oil ʒiij.

Dose. ʒss–ij.

S.G. .815 ALCOHOL. $C_2H_6O_1$.

Dose. ʒss–j.

.838 1. Spiritus Rectificatus. (Rectified spirit.)

Comp. 2 alcohol, 1 water.

Dose. ʒj–ij.

.920 2. Spiritus tenuior. (Proof spirit.)

Comp. 1 alcohol, 3 water.

Dose. ʒij–℥j.

℞. Aq. Menth. Pip. ℥viij
Succ. Gentian. Comp. ℥ß
Sacch. Alb. ℥ii
Aromat. Comp. ℥ß.
Misce. ij. vel iij. die. (Sumatur)

℞. Succ. Cinnamomi ℔ix
Succ. Cardam. Co ℔i
Spir. Myristicæ ℔ß
Spir. Armor. Aromat ℔ß
Syrup. Zingib ℔i.

A child
Aquæ menthæ ℥ iss
Spir. Ann. Arom ℥ss
Spir. æther. Nit. gtt xij
Spir. Lavandulæ Co. ʒi
Syrupi ℥ss. ʒi ad j. q. hora

Aqua debilitatis. Quinta

AMMONIA.

1. Liquor Ammoniæ fortior. (1 ammonia, 2 water—nearly.)

Dose. ♏v–xv, with water or milk. (Rarely used internally.)

2. Liquor Ammoniæ. (1 ammonia, 9 water.)

Dose. ♏x–xx.

3. Ammoniæ Sesquicarbonas. (Olim A. Subcarbonas.)

Dose and Form. Gr. ij–x, in pill or liquid.
Incomp. Acids and alkalies.

4. Liquor Ammoniæ Sesquicarbonatis.

Comp. Sesquic. of ammonia ℥j, water ℥v.
Dose. ʒss–j.

5. Spiritus Ammoniæ.

Comp. Ammonia, carbonic acid, spirit.
Dose. ʒss–j.

6. Spiritus Ammoniæ Aromaticus.

Comp. The same, with cinnamon, cloves, and lemon peel.
Dose. ʒss–j.

7. Spiritus Ammoniæ Fætidus.

Comp. The same, with assafætida in place of cinnam. &c.
Dose. ʒss–j.

8. LINIMENTUM AMMONIÆ. (See Part II.)

9. LINIMENTUM AMMONIÆ SESQUICARBONATIS. (See Part II.)

10. TINCTURA AMMONIÆ COMPOSITA. (Eau de Luce.) (ANTISPASMODICS.)

Comp. Mastic ʒij, rect. spir. ʒix, oil of lavender ♏xiv, oil of amber ♏iv, liquor. ammon. fort. ℥xx.

Dose. ♏v–xxx, in water.

Incomp. Acids and earthy salts.

ARMORACIA. (Cochlearea A. Horse-radish. The root.)

Dose. ʒss–ij, scraped.

1. SPIRITUS ARMORACIÆ COMPOSITUS.

Comp. Horse-radish, orange peel, nutmegs, proof spirit and water.

Dose. ʒj–iij.

2. INFUSUM ARMORACIÆ COMPOSITUM.

Comp. Horse-radish, mustard, each ℥j, spir. armoraciæ (No. 1) ℥j, water ℥xx.

Dose. ℥j–ij.

CAJAPUTI. (Melaleuca minor. The oil.) (ANTISPASMODICS.)

Form and Dose. The oil, ♏ij–xx on sugar or in emulsion.

x. Sūt-Ammon. cō m viiij
Sput Zigib. B i.

C m iij. Radix glycyrhizæ pulv. gr ij. bill
to be rolled in silver foil (spunc).

CARDAMINE. (C. Prætensis. The Cuckoo-flower.)

Dose. ʒj–iij of the dried flowers.

CREOSOTON. (Oxyhydrocarburet from pyroxylic oil.)

Dose and Form. ♏j–vj in spirit and water, camphor mixture, or mucilage.
Incomp. Mineral acids.

[MISTURA CREOSOTI. (Edin. Ph.)

Comp. Creosot. et acid. acet. āā ♏xvj, spir. junip. comp. et syrup. āā ℥j, water ℥xiv.

Dose. ℥ss–ij.]

SERPENTARIA. (Aristolochia S. Virginian Snakeroot. The root.) (AROMATICS.)

Dose. Powder gr. x–ʒss.

1. INFUSUM-SERPENTARIÆ.
Comp. Serp. ℥ss, water ℥xx.
Dose. ℥j–ij.

2. TINCTURA SERPENTARIÆ.
Comp. Serp. ℥iiiss, proof sp. ℥xl.
Dose. ʒj–ij.

SPIRITUS VINI GALLICI. (French Brandy.)

Dose. ʒij–℥j.

1. MISTURA SPIRITUS VINI GALLICI.

Comp. Ol. cinnamon ♏ ij, 2 yelks of eggs, sugar ℥ss, French brandy and cinnamon water āā ℥iv.

Dose. ʒij–x. (Egg Flip.)

VINUM XERICUM. (Sherry Wine.)

Dose. ʒij–℥j–ij. Ad libitum.

From the Class of AROMATIC BITTERS, *q. v.*

Absinthium.

Acorus.

Anthemis.

1. Infusum Anthemidis.
2. Oleum Anthemidis.

Aurantii Cortex.

1. Infusum Aurantii compositum.
2. Tinctura Aurantii.
3. Confectio Aurantii.
4. Syrupus Aurantii.
5. Aquæ Florum Aurantii.
6. Oleum Aurantii.

Limonum Cortex.

1. Oleum Limonum.

Contrajerva.

Cusparia.

1. Infusum Cuspariæ.

Lupulus.

1. Infusum Lupuli.
2. Tinctura Lupuli.
3. Extractum Lupuli.

Canella.

Capsicum.

1. Tinctura Capsici.

Cardamomum.

1. Tinctura Cardamomi.
2. Tinctura Cardamomi composita.

Caryophyllus.

1. Oleum Caryophylli.

Cinnamomum.

1. Pulvis Cinnamomi compositus.
2. Aqua Cinnamomi.
3. Tinctura Cinnamomi.
4. Tinctura Cinnamomi composita.
5. Oleum Cinnamomi.
6. Spiritus Cinnamomi.

Cubeba.

1. Tinctura Cubebæ.

Myristica.

1. Oleum Myristicæ.
2. Spiritus Myristicæ.

Pimenta.

1. Oleum Pimentæ.
2. Spiritus Pimentæ.
3. Aqua Pimentæ.

Piper Longum.

Piper Nigrum.

1. Confectio Piperis Nigri.

Inula.

Sinapis.

Zinziber.

1. Tinctura Zinziberis.
2. Syrupus Zinziberis.

From NARCOTICS, *q. v.*

Camphora.

1. Mistura Camphoræ.
2. Tinctura Camphoræ.
3. Tinctura Camphoræ composita.

(Local.) Linimentum Camphoræ.
Linimentum, C. compositum.

Dulcamara ?

Helleborus ?

Nux Vomica. *Strychnia ?*

Toxicodendron ?

Veratrum ?

Cas

Ga

Ho

Ol

Op

Va

From ANTISPASMODICS, *q. v.*

Castoreum.
1. Tinctura Castoreæ.

Galbanum.
1. Pilulæ Galbani compositæ.

Moschus.
1. Mistura Moschi.

Olibanum.

Opoponax.

Valeriana.
1. Tinctura Valerianæ.
2. Tinctura Valerianæ Ammoniata.

Petroleum.

Succinum.
1. Oleum Succini.

From CARMINATIVES, *q. v.*

Anethum.
1. Aqua Anethi.

Anisum.
1. Oleum Anisi.
2. Spiritus Anisi.

Carui.

1. Oleum Carui.
2. Spiritus Carui.
3. Aqua Carui.

Coriandrum.

Cyminum.

Lavandula.

1. Oleum Lavandulæ.
2. Spiritus Lavandulæ.
3. Tinctura Lavandulæ composita.

Mentha Piperita.

1. Oleum Menthæ Piperitæ.
2. Spiritus Menthæ Piperitæ.
3. Aqua Menthæ Piperitæ.

Pulegium.

1. Oleum Pulegii.
2. Spiritus Pulegii.
3. Aqua Pulegii.

Mentha Viridis.

1. Oleum Menthæ Viridis.
2. Spiritus Menthæ Viridis.
3. Aqua Menthæ Viridis.

Origanum.

1. Oleum Origani.

Rosmarinus.

1. Oleum Rosmarini.
2. Spiritus Rosmarini.

From EXPECTORANTS, *q. v.*

Balsamum Peruvianum.

Balsamum Tolutanum.
1. Tinctura Balsami Tolutani.
2. Syrupus Tolutanus.

Myrrha.
1. Tinctura Myrrhæ.

Copaiba.

From EMMENAGOGUES, *q. v.*

Ergota.

Ruta.
1. Confectio Rutæ.

Sabina.

From DIURETICS, *q. v.*

Cantharis.

Chimaphila?
1. Decoctum Chimaphilæ.

Terebinthina Vulgaris.

Terebinthina Canadensis.

Oleum Terebinthinæ.

Spiritus Ætheris Nitrici.

TONICS.

Mineral Tonics.

(Acids, Earths, Metals.)

ACIDUM ARSENICUM. (White Arsenic.)
Dose. Gr. $\frac{1}{16}$–$\frac{1}{4}$ in pills with bread, (after a meal.)
Incomp. Acids, earths, bitter infusions.

1. LIQUOR POTASSÆ ARSENITIS. (Liquor Arsenicalis. Fowler's solution.)
Comp. Arsenious acid, carb. of pot. āā ℈iv., compound tinct. lavender ʒv, water ℥xx.
Dose. ♏iij–xx.

ACIDUM HYDROCHLORICUM. (A. Muriaticum. Liquid hydrochloric acid.)
Dose. ♏v–x in aqueous fluids.
Incomp. Alkalies, earths, &c. all ox ales.

1. ACIDUM HYDROCHLORICUM DILUTUM. (Dilute Muriatic Acid.)
Comp. Acid 1 part, water 3 parts.
Dose. ♏x–ʒss, in aqueous fluids.
(See REFRIGERANTS.)

℞ Infus. Calumbæ ℥ ix
Tr. Calumbæ ℥ss
A. Sulph. Dilut. ♏ x
Syrup Aurantii. ℥ss.

Mist. Camphor ℥vi
Tr Calumbæ ʒiii
A. Cinnam. ʒv
Syrup Aurantii ʒi.

Mist. Ferri comp ʒx
Ammonii Sesquicarb. gr v.

Pot. Bicarb. ʒi
Liq Ammon. Citr. ♏ xii
Aqua destil. ʒxiii

℞ Acid Citric in pulv. trit. gr xv
Sacch alb. gr v.
in chart cum adj i.

Hysterical women

Aloes extracta
Asafœtida
Saponis ana ℈ss

Pil. vi. Sumatur 1. vel ii. P.G.

Ferri sulph. gr. iv. Morph. sulph.
℥ss. Acid sulph. dil. ♏x.
Ad fat. C. ℥xi. b.i.d.

℞ Quinini comp.
Mellis ana ℥ss
Ferri citrat. 2 oz.
Aqua Menthæ ℥xx.
M. fiat haust. 2.d.s.o.

Chronic Rheumatism

ACIDUM NITRICUM. (Strong or fuming Nitric Acid.)

Dose. ♏j–xij. (Rarely used.)

1. ACIDUM NITRICUM DILUTUM.

Comp. Acid 1 part, water 9 parts.

Dose. ♏x–ʒss.

Incomp. Acids, earths, sulph. of iron, &c.

[NOTE. *The Nitro-muriatic bath.* Acid. Hydrochlor. 2 parts, acid. nit. 1 part.—℥iss of the acid to a gallon of water. (See REFRIGERANTS.)]

ACIDUM SULPHURICUM. (Aqueous Sulphuric Acid. Oil of Vitriol.)

1. ACIDUM SULPHURICUM DILUTUM.

Comp. Acid 1 part, water 9 parts (nearly.)

Dose. ♏x–ʒss, in aqueous fluids. As gargle ʒj–ij in ℥viij.

Incomp. Earthy oxides, alkaline carbonates.

ARGENTI NITRAS. (Argentum Nitratum. Lunar Caustic.)

Dose. Gr. $\frac{1}{6}$–iij in pill, with bread crumb or vegetable powder.

1. LIQUOR ARGENTI NITRATIS.

Comp. Argent. nit. ʒj, water ℥j. (A test.)

BARII CHLORIDUM. (Muriate of Baryta.) Used chiefly in the form of—

1. LIQUOR BARII CHLORIDI.

Comp. Chloride of B. ʒj, water ℥j.
Dose. ♏x–ʒss, in distilled water.
Incomp. Undistilled water, earths, and alkaline salts and sulphates.

BISMUTHI TRISNITRAS?

Dose and Form. Gr. v–℈j, in pill or powder.

CALCII CHLORIDUM. (Muriate of Lime.) Used in solution as—

1. LIQUOR CALCII CHLORIDI.

Comp. Chloride of lime 1 part, water 3 parts.
Dose. ♏xx–ʒiss. (See ALTERATIVES.)

CUPRUM?

1. CUPRI SULPHAS.

Dose. Gr. ¼–iss, in pill.

2. CUPRI AMMONIO-SULPHAS. (C. Ammoniatum. Ammoniate of copper.)

Dose. Gr. ss–v, in pill.

3. LIQUOR CUPRI AMMONIO-SULPHATIS.

Comp. Ammonio-sulph. of copper, ʒj, water ℥xx.
Dose. ʒj–ij. Externally as lotion and (diluted) collyrium.
Incomp. Acids and alkalies.

Gentle, or other Aloes

Ferri sesquioxydi ʒiss
Olei Juniperi ♏i
Olei Anisi . ♏v
Con. rosa
Pil xx . ij bis in d.

Chlorosis.

℞ Ferri sesquichloridi ʒiss
Calumbae ʒii
Aqua Cinnam. ʒv
Syrupi ℥ss
ʒi bis in die

FERRUM.

1. FERRI SESQUIOXYDUM. (Ferri oxydum, F. carbonas, F. subcarbonas, F. rubigo.)
Dose and Form. Gr. x–ʒij, as an electuary with syrup, treacle, and with aromatics.
Incomp. Acids and acidulous salts.

2. FERRI AMMONIO-CHLORIDUM. (F. ammoniatum.)
Dose. Gr. iij–℈j in powder, or pill with extracts. (Little used.)

3. TINCTURA FERRI AMMONIO-CHLORIDI.
Comp. F. Am. chlor. ℥iv, proof spir. ℥xx.
Dose. ʒss–ij. (Little used.)

4. TINCTURA FERRI SESQUICHLORIDI. (Tinct. Ferri muriatis.)
Comp. F. Sesquioxyd. ℥ij, acid. hydrochlor. ℥viss, rectified spirits ℥xx.
Dose. ♏v–x–ʒj, in simple liquids.
Incomp. Alkalies and their carbonates, astringent vegetable infusions, gum Arabic.

5. FERRI IODIDUM.
Comp. A deliquescent salt: iron 14, iodine 63·3, water 22·7 in 100 parts.
Dose. Gr. ij–vj, in distilled water with tinct. (with iron wire.)
Incomp. Acids, alkalies, vegetable infusions, &c.

(See DEOBSTRUENTS or ALTERATIVES.)

6. Ferri Percyandium. (Hardly used medicinally.)

7. Potassii Ferrocyanidum. (Do.)

8. Ferri Sulphas.

Dose. Gr. j–v, in pill, with extracts or aromatic confection.

9. Mistura Ferri composita. (Griffith's mixture.)

Comp. Myrrh ʒij, carb. of potash ʒj, sulphate of iron ℈iiss, sugar ʒij, spirit of nutmeg ℥j, rose water ℥xviij.

Dose. ℥ss-ij, simple, or with aromatics.

Incomp. Acids, acidulous salts, bitters.

10. Pilulæ Ferri compositæ.

Comp. 1 sulphate of iron, 1 carbonate of soda, 1 treacle, 2 myrrh. (The sulphate is decomposed.)

11. Ferri Potassio-Tartras. (F. Tartarisatum.)

Dose. Gr. x–ʒss in pill, bolus, or solution in carminative water.

ZINCUM.

1. Zinci Oxydum. (Flores Zinci.)

Dose. Gr. j–vj, in pill or powder.

2. Zinci Sulphas.

Dose. Gr. j–v, in pill.

Pulv. Aloes ℈ii
Sulph. Ferri ʒss
Con. Ros. q.s.
Ad xx. Sij. One pill ~~at~~ night=
or morng

Acid Sulph. ʒiv
Syr. Aur. ℥iss
A. Cinnam. ℥i.
ʒi t.i.d.

Vegetable Tonics. Bitter Tonics.

CALUMBA. (Cocculus Palmatus. Root.)
Dose. Gr. x–ʒss in powder.

1. INFUSUM CALUMBÆ.
Comp. Calumba ʒv, water ℥xx.
Dose. ℥j–ij.
Incomp. Bichloride of mercury, lime water.
can be prescribed with infusion of iron -

2. TINCTURA CALUMBÆ.
Comp. Calumba ℥iss, proof spirit ℥xx.
Dose. ʒj–ij, (added to bitter infusions and effervescent draughts.)

CENTAURIUM. (Erythræa C. The flowers and leaves.)
Dose and Form. Of the powder, ℈j–ʒj. Infusion (℥ij–℥x water) ℥i–ij.

CINCHONA. (*a.* C. Cordifolia, Yellow bark. *b.* C. Lancifolia, Pale bark. *c.* C. Oblongifolia, Red bark.)
Dose. Powder gr. x–ʒij.

1. INFUSUM CINCHONÆ.
Comp. Cinchona (lancifol.) ℥j, water ℥xx.
Dose. ℥j–ij.
Incomp. Lime water, tart. emet., sulphate of zinc and iron.

2. DECOCTUM CINCHONÆ CORDIFOLIÆ. (Olim DECOCTUM CINCHONÆ.)

3. DECOCTUM CINCHONÆ LANCIFOLIÆ.

4. DECOCTUM CINCHONÆ OBLONGIFOLIÆ.
Comp. Cinchona ʒx, water ℥xx.
Dose. ℥–ij.
Incomp. Lime water, tartar emetic, sulphate of iron.

5. TINCTURA CINCHONÆ.
Comp. C. Cord. ℥iv, proof spirit ℥xx.
Dose. ʒj–℥ss.

6. TINCTURA CINCHONÆ COMPOSITA. (Huxham's Tincture.)
Comp. Cinchona (lanc.) ℥ii, orange peel ℥iss, serpentary ʒiij, saffron ʒj, cochineal ʒss, proof spirit ℥xx. (Contains one half less cinchona than the simple tincture.)
Dose. ʒj–iij.

7. EXTRACTUM CINCHONÆ CORDIFOLIÆ. (Olim EXTRACT. CINCHONÆ.)

8. EXTRACTUM CINCHONÆ LANCIFOLIÆ.

9. EXTRACTUM CINCHONÆ OBLONGIFOLIÆ.
Comp. Watery extract.
Dose. Gr. x–xx.
Form. Pill, solution in water, &c., syrup of mulberries, (for children.)

Chlor.

℞. ℥ss Lunæ Dis. gr ij Ac. Sulph.
℥i. Succi Aurantii ℥i. Syr. ℥iii
℥i. ℥ii (4 Doses)

10. QUINÆ DISULPHAS. (Sulphate of quinine.)
Comp. From the C. cordifolia.
Dose. Gr. ss–x.
Form. Pill, with conserve of roses, powder with sugar. Solution, in acidulated liquids, water, alcohol or syrup.

[The best vehicle is distilled water, slightly acidulated. It is little soluble in pure water; more so in spirit. Soluble in 780 parts of cold water, or 80 parts of spirit of sp. gr. 0·85. (Pereira.) Very soluble in sulph. acid. A drachm of acid. sulph. dil. will dissolve gr. xx. A convenient strong solution is made by dissolving gr. j. in water ʒj, by the addition of acid. sulph. dil. ♏ij.]

GENTIANA. (G. Lutea. The root.)
Dose. Powder gr. x–ʒss. (Not much used.)

1. INFUSUM GENTIANÆ COMPOSITUM.
Comp. Gentian ʒij, orange peel ʒij, fresh lemon peel ℥ss, water ℥xx.
Dose. ℥j–ij.
Incomp. Sulphate of iron and zinc.

2. MISTURA GENTIANÆ COMPOSITA.
Comp. Inf. gent. comp. ℥vj, inf. sennæ comp. ℥iij, tinct. card. c. ℥j.
Dose. ʒx–℥ij.

3. TINCTURA GENTIANÆ COMPOSITÆ.
Comp. Gentian ℥iiss, orange peel ʒx, cardam. ʒv, proof spirit ℥xl.
Dose. ʒss–ij.

4. EXTRACTUM GENTIANÆ. (Watery extract.)
Dose. Gr. x–ʒss.

MENYANTHES. (M. trifoliata. Buck-bean. The leaves.)
Form and Dose. Powder ℈j–ʒss; infusion (℥j–to ℥xx of water) ℥j–iss; extract (not much used.)

QUASSIA. (Q. excelsa. The wood.)
Dose and Form. Gr. x–ʒss of the powder. (Rarely used.)

1. INFUSUM QUASSIÆ.
Comp. Quassia ℈ij, water ℥xx.
Dose. ℥j–ij.
Incomp. Lead, silver. (May be used with chalybeates.)

SIMARUBA. (S. officinalis. The bark of the root.)
Dose. ℈ss–ʒss in powder. (Rarely used.)

1. INFUSUM SIMARUBÆ.
Comp. Simaruba ʒiij, water ℥xx.
Dose. ℥j–ij.
Incomp. Alkalies and their carbonates, lime water, and any infusions, e. cinchona, catechu - & Ar + Nos.
and Al. + Ac

mmediate use in Burns.
l six ounces. Soda two drachms
alt 10 ℥.

PART II.

REMEDIES FOR EXTERNAL AND LOCAL USE.

Cretæ preparatæ ℥ii
Amylum pulv. ℥iv.
= for Effervescing Stone.

or
Cretæ Prep. ℥ii Olei R.
Aq. Rosæ ℥i

PART II.

CATAPLASMATA. POULTICES.

Emollient. Sedative.

1. Cataplasma Lini. Linseed-meal poultice.
Comp. Boiling water ℥xx, linseed meal q. s.

2. Cataplasma Conii. Hemlock poultice.
Comp. Boiling water ℥xx, extract. conii ʒij, linseed meal q. s.

3. [Cataplasma Aluminis. Ph. Dub. Alum poultice.
Comp. Whites of two eggs, alum ʒj.]

Stimulant. Antiseptic.

1. Cataplasma Sinapis. Mustard poultice.
Comp. Powdered mustard and linseed meal, of each ℥v, boiling vinegar q. s.

2. ALLIUM. Garlic. Boiled to a proper consistence.

3. CATAPLASMA FERMENTI. Yeast poultice.
Comp. Flour ℥xij, yeast of beer ℥x.

4. [CATAPLASMA CARBONIS LINI. Ph. Dub. Charcoal poultice.
Comp. Charcoal q. s., added to linseed or oatmeal poultice.]

5. [CATAPLASMA DAUCI. Carrot poultice. Ph. Dub. The carrot boiled to a proper consistence.]

Spirits of Wine – a White of Eggs = for to strengthen stomach & the back in fever

---

CAUSTICA. VESICANTIA. IRRITANTIA.

(Caustics. Blisters. Counter-irritants.)

1. POTASSÆ HYDRAS. (Olim P. Fusa.)

2. POTASSA CUM CALCE. Less deliquescent than the preceding.

3. ARGENTI NITRAS.

4. Acidum Aceticum.

5. Emplastrum Cantharidis.

Comp. 1 lard, 2 cantharides, 3 emplast. ceræ.

6. Acetum Cantharidis.

Comp. Cantharides ℥j, acid. acet. ℥x.

7. [*Tela Vesicatoria.* *Charta Vesicatoria.* More elegant and equally effective preparations. Cantharadin, &c.]

8. Ceratum Cantharidis.

Comp. 1 powdered cantharides, 6 cerate of spermaceti.

9. Unguentum Cantharidis.

Comp. 1 decoct. canthar., 2 cerat. resinæ.

10. Ceratum Sabinæ.

Comp. 1 wax, 2 savine, 4 lard.

11. [*Unguentum Mezerei.* Amer. Ph.

Comp. Mezereon ℥iv, lard ℥xiv, wax ℥ij.]

12. Unguentum Antimonii Potassio-Tartratis. Tartar-emetic ointment.

Comp. 1 ant. pot. tart., 4 lard.

13. Euphorbium. Mixed with turpentine or Burgundy pitch.

14. Capsicum. Added to cataplasms.

15. Mezereon. The bark, softened in hot vinegar.

16. Piper Nigrum. Mixed with sinapisms or cataplasms.

17. Ruta. In substance, as a cataplasm.

[*Moxas.*

Substances for producing counter-irritation by being burnt on the part. They are composed of various materials, and may be composed of any that will burn down slowly, such as cotton, the pith of plants, agaric, German tinder, &c. Percy used an *artillery match.* Larrey's moxa was a truncated cone of cotton stitched in linen, about four lines wide and six lines high. Dr. Sadler's, of St. Petersburg, are composed of the pith of the sunflower, cotton, and linen, steeped in a solution of nitre. Gräfe employed wafers dipped in three parts oil of turpentine and one part of æther.].

CERATA ET UNGUENTA.
OINTMENTS.

Emollient. Defensive.

1. Ceratum.
Comp. Wax and olive oil, equal parts.

2. Ceratum Calaminæ. (Turner's cerate.)
Comp. Calamine, wax, āā ℥iij, olive oil ℥viij.

3. Ceratum Cetacei. Spermaceti cerate.
Comp. Cetac. ℥j, ceræ ℥iv, ol. oliv. ℥x.

4. Ceratum Plumbi Acetatis.
Comp. Plumb. acet. ʒij, ceræ ℥ij, ol. oliv. ℥viij.

5. Ceratum Plumbi compositum. (Goulard's cerate.)
Comp. Liq. plumb. diacet. ℥iij, ceræ ℥iv, ol. oliv. ℥x, camphoræ ʒss.

6. Ceratum Saponis.
Comp. Acetate of lead, wax, olive oil.

7. UNGUENTUM CETACEI.

Comp. Spermaceti ʒvj, wax ʒij, ol. oliv. ℥iij.

8. UNGUENTUM SAMBUCI. (Elder ointment.)

Comp. Elder flowers and lard, equal parts—boil and strain.

9. UNGUENTUM ZINCI.

Comp. 1 oxide of zinc, 6 lard.

Stimulant. Digestive.

1. CERATUM RESINÆ. (Basilicon.)

Comp. Resin and wax, āā ℥vj, ol. oliv. ℥viij.

2. UNGUENTUM CREOSOTI.

Comp. Creosote ʒss, lard ℥j.

3. UNGUENTUM ELEMI.

Comp. Elem. ℥vj, turpentine ℥v, suet ℥xij, ol. oliv. ℥ij.

4. UNGUENTUM GALLÆ COMPOSITUM.

Comp. Powdered galls ʒij, lard ℥ij, opium ʒss.

5. UNGUENTUM HYDRARGYRI AMMONIO-CHLORIDI. (White precipitate ointment.)

Comp. Hydr. am. chlor. (white precipitate) ʒj, lard ℥iss.

Balsam Peruvian ʒii
Cerat. com. ʒi-
Mercurii ulceratum C. Clarke

Skin in sores or Children. where all fails.
Underwood
Calomelanos ʒi. Unguent. Sambuci ℥i
. fort. liniment.
twice a day or every -

6. UNGUENTUM HYDRARGYRI NITRATIS. (Citrine ointment.)

Comp. Nitrate of mercury ℥ij, lard ℥vj, olive oil ℥iv.

7. UNGUENTUM HYDRARGYRI NITRICO-OXIDI. (Red precipitate ointment.)
Comp. 1 hyd. nit. ox., 2 wax, 6 lard.

8. UNGUENTUM PICIS LIQUIDI. (Tar ointment.)
Comp. Suet and tar, equal parts.

9. UNGUENTUM PICIS NIGRI. (Pitch ointment.)
Comp. Pitch, wax, resin āā ℥ix, ol. oil ℥xvj.

10. UNGUENTUM PLUMBI COMPOSITUM.
Comp. Cret. præp. ℥iv, acet. destil. ℥iij, emplast. plumb. ℥xviij, ol. oliv. ℥x.

Alterative. Discutient.

1. CERATUM HYDRARGYRI COMPOSITUM.
Comp. 4 unguent. hyd. fort., 4 cerat. sap., 1 camphor.

2. UNGUENTUM HYDRARGYRI FORTIUS.
Comp. 24 mercury, 23 lard, 1 suet.

3. UNGUENTUM HYDRARGYRI MITIUS.
Comp. 1 unguent. hyd. fort., 2 lard.

4. UNGUENTUM HYDRARGYRI IODIDI.
Comp. 1 iod. of merc., 2 wax, 6 lard.

5. UNGUENTUM HYDRARGYRI BINIODIDI.
Comp. 1 biniod. of merc., 2 wax, 6 lard. (More active than the preceding.)

6. [UNGUENTUM IODINII. Ph. Dub.
Comp. Iodine ʒj, lard ℥j.]

7. UNGUENTUM IODINII COMPOSITUM.
Comp. Iodine ʒss, iod. of potass. ʒj, lard ℥ij.

8. UNGUENTUM PLUMBI IODIDI.
Comp. 1 iodide of lead, 8 lard.

Specific.

1. UNGUENTUM SULPHURIS.
Comp. Sulphur. ℥iij, lard ℥vj, bergamot ♏xx.

2. UNGUENTUM SULPHURIS COMPOSITUM.
Comp. Sulphur. ℥vj, white hellebore ℥ij, nitrate of potash ʒj, soft soap ℥vj, lard ℥xviij, bergamot ʒss.

3. UNGUENTUM VERATRI.
Comp. White hellebore ℥ij, lard ℥viij, ol. lemon. ♏xx.

Sedative. Antispasmodic.

[1. *Unguentum Veratriæ.* Veratria ℈j, olive oil ʒj, lard ʒvij.

2. *Unguentum Aconitinæ.* Aconit. gr. xvj, ol. oliv. ʒss, lard ℥j.

Unguentum Belladonnæ. Extr. Bell. ʒj–ij, lard, or spermaceti ointment ℥j.]

EMPLASTRA. PLASTERS.

Stimulant. Discutient.

1. Emplastrum Ammoniaci.
Comp. Ammoniacum ℥v, distil. vinegar ℥viij.

2. Emplastrum Ammoniaci cum Hydrargyro.
Comp. Ammoniac. ℥xij, mercury ℥iij, oil and sulphur q. s.

3. Emplastrum Galbani.
Comp. Galbanum ℥ij, emplast. plumb. ℥ix, turpentine ʒiiss, resin ʒvj.

4. Emplastrum Hydrargyri.
Comp. Mercury ℥iij, emplast. plumb. ℥xij, olive oil and sulphur q. s.

Anodyne. Emollient.

1. Emplastrum Belladonnæ.
Comp. 1 extr. belladonnæ, 2 emplast. resinæ.

2. Emplastrum Opii.
Comp. 1 opium, 6 resin, 24 emplast. plumbi.

Cort. Senna ℥i
Camphora ℥ii
Sapon. Venet. ℥ß
Sinapis ℈i.

Adhesive. Defensive.

1. EMPLASTRUM CERÆ.
Comp. 1 resin, 3 wax, 3 suet.

2. EMPLASTRUM PLUMBI.
Comp. Oxide of lead, olive oil, water.

3. EMPLASTRUM SAPONIS.
Comp. 1 soap, 6 emplast. plumbi.

4. [*Court plaster.* Solution of isinglass on silk, and tincture of benzoin.
5. *Liston's plaster.* A solution of isinglass on oiled silk.]

ENEMATA.

ALVINE INJECTIONS.

Cathartic. Stimulant.

1. Enema Aloes.
Comp. Aloes ℈ij, carb. potass. gr. xv, decoct. hordei ℥x.

2. Enema Colocynthidis.
Comp. Extract. coloc. c. ℈ij, soap ℥j, water ℥xx.

3. Enema Terebinthinæ.
Comp. Ol. terebinth. ℥j, yelk of eggs, q. s., boiling water ℥xix.

4. [Enema Catharticum. Ph. Dub.
Comp. Manna ℥j, magnes. sulph. ℥ss, ol. oliv. ℥j, decoct. anthem. ℥x.]

5. [Enema Rutæ.
Comp. Confect. Rutæ ʒj, decoct. hord. ℥vj.]

Sedative. Emollient.

1. Enema Opii.
Comp. Tinct. opii ʒss, decoct. of starch ℥iv.

2. Enema Tabaci.
Comp. Tobacco ʒj, boiling water ℥xx.

Mixture - C. Cater Strong

Decoct Quercus ℥xv
Cinch - Colectum ℥ss
Aluminis ʒii
Zinc - Sulphat. ʒi

Gallarum ℥ss
Aqua ℥xvii decoque
℥xvi.
Cola. Adde
Spir. Rosmarini ℥ss
Alum ʒiii

[illegible] mix add Spir. or Lavend.
[illegible]

Soda Carbon. ℈i ℈ii ʒi
Aqua ℥xvi. Inject bejundes

Infus. Quercus ℥iv Pulv. Galler. gr xxx
Cinch. Colectum ʒii

[illegible] Aluminis Co. Alum & Zinc
ʒii ℔ ʒii.

3. [ENEMA FÆTIDUM. Ed. Dub.
Comp. Enema cathart. ℥xij, tinct. assaf. ʒij.]

4. [ENEMA EMOLLIENS. (Decoct. malvæ comp.)
Comp. Mallow ℥j, chamomile ℥ss, water ℥xx,—boil and strain.]

THE ENDERMIC METHOD.

This consists in applying medicines in fine powder, pure or mixed into a paste with lard, gelatine, or cerate, to a blistered surface. The following medicines, among many others, have been used in this manner, and in the doses mentioned :—

Morphia, and its salts .	gr. $\frac{1}{4}$–ij.
Strychnia . . .	gr. $\frac{1}{4}$–j.
Aconitina . . .	gr. $\frac{1}{16}$–$\frac{1}{8}$.
Extract. belladonnæ .	gr. ij–v.
Quinæ disulphas . .	gr. ij–vj.
Moschus . . .	gr. iv–viij.

GARGARISMATA. GARGLES.

Used undiluted.

1. Decoctum Cinchonæ.
2. Decoctum Quercus.
3. Infusum Catechu compositum.
4. Infusum Cinchonæ.
5. Infusum Rosæ compositum.

Used diluted.

6. Linimentum Æruginis.
7. Mel Boracis.
8. Tinctura Gallæ.
9. Tinctura Capsici.
10. Tinctura Kino.
11. Tinctura Myrrhæ.

ubi Acet ℥i Aqua Op.
i Syphil vere Mant (bald). Baoot.

nous cough
Water ℥i
Vol. of Am. gr 15
i of Mandrake. ℥i
Laudan M x
Syrup of Poppies ℥ss.
Bullets Therapeutique.

℞ Potassæ Carbon. ℥ii
~~Aquæ~~ ℥i
Olei Olivæ ℥ß
~~Mentha~~ Sulphur. sub ℥v.
Camphoræ. ℥ii
In scabies.

In.
Ammoniæ Hydrochloratis ℥i
Alcoholis ℥i
Aquæ -- ℥iß.
In scabies - chilblains.

LINIMENTA. EMBROCATIONES. FOMENTATIONES. LOTIONES.

Stimulant.

1. Linimentum Ammoniæ. (Stronger liniment.)
Comp. 1 liquor ammoniæ, 2 olive oil.

2. Linimentum Ammoniæ Sesquicarbonatis. (Weaker liniment.)
Comp. 1 liq. amm. sesquicarb., 3 olive oil.

3. [Linimentum Ammoniæ compositum.
Comp. Liq. ammoniæ ℥v, tinct. camph. ℥ij, spir. rosmar. ℥j. Ph. Ed.]

[The preceding formula is an imitation of Dr. Granville's *antidynous lotions*, which are
a. Lotio Ammoniata mitior.
Comp. Liq. ammon. fortiss. ℥j, spir. rosmar. ʒvj, spir. camph. ʒij.
b. Lotio Ammoniata fortior.
Comp. Liq. ammon. fortiss. ʒx, spir. rosmar. ℥ss, spir. camph. ʒij.]

4. Linimentum Camphoræ.
Comp. Camphor ℥j, olive oil ℥ij.

5. LINIMENTUM CAMPHORÆ COMPOSITUM.
Comp. Camphor ℥iiss, liq. ammoniæ ℥viiss, spir. lavand. ℥xx.

6. LINIMENTUM HYDRARGYRI COMPOSITUM.
Comp. Unguent. hyd. fort. ℥iv, lard ℥iv, camphor ℥j, liq. ammon. ℥iv.

7. LINIMENTUM SAPONIS.
Comp. Soap ℥iij, camphor ℥j, spir. rosmar. ℥xvj.

8. LINIMENTUM TEREBINTHINÆ.
Comp. Soap ℥ij, camphor ℥j, oil of turpentine ℥xvj.

9. OLEUM CAJAPUTI.
Comp. Simple, or mixed with olive oil.

10. [LINIMENTUM CROTONIS.
Comp. 1 croton oil, 5 olive oil.]

Refrigerant.

1. LIQUOR PLUMBI DIACETATIS. (Goulard.)

2. LIQUOR PLUMBI DIACETATIS DILUTUS.

Comp. Liq. pl. diacet. ʒiss, spir. rect. ʒij, water ℥xx.

3. [*Lotio Ammoniæ Hydrochloratis.* Muriate of ammonia wash.
Comp. Ammon. hydrochlor. ℥j–ij, aquæ vel aceti ℥xij, spir. rect. ℥iv.]

[illegible] ℥iij Acid Acet ℥ss.
[illegible] Oxi i. Aqua Rosar ℥iiss. Olei ℥i.
M

℥i. Acet. Destil. ℥ii Aqua Cinnam. ℥ss
Aqua Dentilar. ℥iii

Sedative. Emollient.

1. Decoctum Papaveris.
Comp. Poppy heads ℥j, water ℥xx,—boil 15 minutes.

2. Linimentum Opii.
Comp. 1 tinct. opii, 3 liniment. saponis.

3. Decoctum Malvæ compositum.
Comp. Mallow ℥j, chamomile ℥ss, water ℥xx.

[*Embrocatio Aconitinæ.* Aconit. gr. viij, spir. rect. ℥ij.]

Astringent.

1. Liquor Aluminis compositus.
Comp. Alum ʒij, sulph. zinci ʒij, water ℥xv.

2. Liquor Calcis.
Comp. Lime gr. xij, water ℥xx.

3. Decoctum Quercus.
Comp. Oak bark ʒx, water ℥xl—boil to ℥xx.

For Wounds and Skin Diseases.

1. LINIMENTUM ÆRUGINIS.
Comp. 1 verdigris, 7 vinegar, 14 honey.

2. LIQUOR CUPRI AMMONIO-SULPHATIS.
Comp. Cupri am. sulph. ʒss, water ℥x.

3. DECOCTUM VERATRI.
Comp. Verat. alb. ʒx, water ℥xl, (boil to ℥xx), spir. rect. ℥iij.

4. [*Linimentum Calcis.* (Carron oil.)
Comp. Equal parts of lime water and linseed oil.]

5. [*Lotio Flava.* (Aqua Phagedenica.)
Comp. Hydrarg. bichlor. gr. ij, aquæ calcis ℥j.]

6. [*Lotio Nigra.* (Black wash.)
Comp. Calomel ℈j, liq. calcis ℥vj.]

7. [*Lotio Hydrocyanica.* Acid. hydroc. dilut. ʒj, water ℥ij.]

PULVERES. POWDERS.

Desiccant. Astringent. Stimulant.

1. Calamina Præparata.
2. Creta Præparata.
3. Alumen Exsiccatum.
4. Rhei Pulvis.
5. Hydrargyri Nitrico-oxidum.
6. Hydrargyri Chloridum.

INHALATION.

Medicines are applied to the mucous membrane of the larynx, trachæa, and bronchia, in several ways.

1. Diffused in the air of the chamber, and thus inhaled in ordinary respiration. The vapour of water (steam), the fumes of tar, resin, myrrh, &c., are thus applied.

2. Mixed with water in a close glass vessel having two tubes inserted into it, the one admitting the air and passing it through the mixture, the other inserted into the patient's mouth, through which the air of the vessel is drawn into the lungs. Chlorine gas, tincture of iodine, of conium, &c., are thus inhaled.

3. By means of the apparatus called "Mudge's Inhaler," or a greatly improved modification of this by Dr. Harwood, having a mouthpiece, which renders the process of inhalation much easier.* Warm, watery vapours, in which various medicaments may be diffused or developed, are thus applied to the air-passages.

* Dr. Harwood's Inhaler is sold by Waugh, Regent street.

[illegible] & Hot water. Bacon
[illegible]

PART III.

APPENDIX.

PART III.

I. *Poisons and Counterpoisons.*

Corrosive and Irritant Poisons.

Poisons.	Treatment.*
Arsenic.	(Sulphas Zinci. Sinapis Pulvis. Ipecacuanha.) The stomach-pump. Emetics. Milk in copious draughts. Oil and lime water in equal parts. Mucilage. Flour and water. Hydrated oxide of iron, recently prepared. (*Ferri sesquioxydum* Lond. *Carbonas ferri præcipitatus* Ed. *Ferri carbonas* Dub.)
The Strong Mineral Acids. Nitric A. Muriatic A. Sulphuric A.	Magnesia, chalk, whiting, in milk or water, mucilaginous or soapy liquid in large quantities.

* In this Table the primary or immediate treatment is alone, in general, noticed.

Poisons.	Treatment
Oxalic Acid.	Stomach-pump. Mechanical irritation of the fauces. Magnesia, chalk, whiting, in small quantities of liquid. Muriate of lime diluted.
The Strong or Caustic Alkalies. Ammonia. Potassa. Soda. Lime,	Stomach-pump. Emetics. Diluents. Demulcents. Olive oil. Diluted vinegar, lemon-juice, or citric acid, ad libitum.
Antimony, Salts of. TartarEmetic. Butter of Antimony.	Copious draughts of warm water. Watery infusions containing gallic acid. Infusion of galls, oak bark, gentian, cascarilla, calumba, cinchona flava, kino, catechu.
Baryta. Barii Chloridum. Carbonas Barytæ.	Alkaline sulphates. Sulphate of soda or magnesia. Stomach-pump.
Copper, salts of Acetate. Carbonate. Nitrate. Sulphate.	Demulcents. Albumen. Raw eggs. Flour and water. Milk, cream. Iron filings?

Pois ns.	Treatment.
Iodine.	Starch and water in large quantity. Emetics. Stomach-pump. Tepid demulcents. Flour, sago, arrow root.
Mercury, Salts of. Bichloride (corrosive S.) Bicyanide. Iodide. Nitro-oxyde	Albumen, or beaten eggs in large quantity. Flour and water in stiff paste (gluten.) Milk.
Nitre. *Phosphorus.*	Warm demulcents. Stomach-pump. Cold water. Magnesia, &c. as for the mineral acids.
Silver, Salts of. Nitrate (lunar caustic.)	Chloride of sodium (common salt) in large quantity of water. Stomach-pump.
Tin, Salts of. Chloride (dyer's liquid.)	Stomach-pump. Emetics. Diluents. Demulcents. Milk, &c.
Zinc, Salts of. Sulphate.	Demulcents. Diluents. Milk. Albumen.

Narcotic and Narcotico-Acrid Poisons.

Poisons.	Treatment.
Gaseous Poisons. Carbonic acid Sulphuretted Hydrogen. Carburetted Hydrogen.	The open air. Semi-erect position. Cold water to the face and neck, if the surface is warm. Mechanical excitement of respiration by manipulating the thorax and abdomen. Feet in hot water. V. S. cucurb. nuchæ. Flagellation.
Opium. Morphia, &c.	Stomach-pump. Emetics. Mechanical irritation of the fauces. External excitation. Blows on the palms and soles. Semi-erect position. Mechanical excitement of respiration. Cold affusion to the head and face. Feet in hot water. V. S. cucurb. nuchæ. Internal stimulants. Ammonia. Coffee. Vegetable acids.
Hydrocyanic Acid.	Same as in opium. Inhalation of vapour of ammonia much diluted. Cold affusion.

Poisons.	Treatment.
Oil of Bitter Almonds. Oil and Water of Cherry-laurel.	Same as in hydrocyanic acid.
Aconitum Napellus (Aconite). Agaricus. Alcohol, (Comatose Intoxication). Atropa Belladonna, (Deadly Nightshade). Cicuta Virosa, (Water Hemlock). Conium Maculatum, (Spotted Hemlock). Œnanthe Apfolia. Œnanthe Crocata. Cocculus Indicus.	The general treatment in poisoning by the other simple narcotics and acrid narcotics in this list, is the same as in the cases of opium and hydrocyanic acid; the chief differences depending on the amount of local irritation produced, and the consequent administration of refrigerants, mild opiates, &c. Emetics, and stomach-pump.

Poisons.	Treatment.
Colchicum. Digitalis. Ergota. Helleborus Niger (Black Hellebore). Nux Vomica. Strychnine. Stramonium. Tobacco. Veratrum Album (White Hellebore.)	(In poisoning from *digitalis*, the recumbent posture to prevent syncope).

Acrid Poisons.

Bryonia Dioica (Wild Vine). *Cantharides.* *Elaterium.* *Euphorbium.*	Vomiting by ipecacuanha, and irritation of the fauces. Copious use of diluents and demulcents. Opiates to relieve pain, mild cordials, &c.

II. *Temperature of Baths.*

	Water.	Vapour.	
	Whole Bath.	Not breathed.	Breathed.
Cold Bath	33°—63°		
Cool Bath	63°—75°		
Temperate Bath	75°—85°		
Tepid Bath ..	85°—92°	96°—106°	90°—100°
Warm Bath ..	92°—98°	106°—120°	100°—110°
Hot Bath	98°—106°	120°—160°	110°—130°

III. *Quantity of some of the stronger Medicines in certain Pharmaceutical Compounds.*

1. Opium.

Enema opii contains gr. iss in ℥iv.
Confectio opii gr. j in gr. xxxvi.
Linimentum opii gr. iij in ℥ss.
Pilulæ saponis compositæ gr. j in gr. v.
Pilulæ styracis compositæ gr. j in gr. v.
Pulvis cretæ comp. cum opio gr. j in ℈ij.
Pulvis ipecacuanhæ compositus gr. j in gr. x.
Pulvis kino compositus gr. j in ℈j.
Tinctura camphoræ comp. gr. j in ℥ss.
Tinctura opii gr. j in ♏xix.
Vinum opii gr. j in ♏xix.

2. Mercury.

Hydrargyrum cum creta gr. iij in gr. viij.
Linimentum hydrargyri comp. ʒj in ʒxj.
Liquor hydrargyri bichloridi gr. j (of hyd. bichlor.) in ℥ij.
Pilulæ hydrargyri gr. j in gr. iij.
Pilulæ hydrarg. chlor. comp. gr. j (of calomel) in gr. v.
Pilulæ hydrarg. iodidi gr. j (of hydrarg. iod.) in gr. v.
Unguentum hydrargyri fortius ʒj in ʒij.
Unguentum hydrargyri mitius ʒj in ʒvj.

3. Arsenic.

Liquor potassæ arsenitis gr. j in ʒiiss.

4. Antimony.

Vin. ant. pot. tart. gr. j in ℥ss.
Unguentum ant. pot. tart. ʒj in ℥ss.

IV. *Proportion of Doses according to Age. (Gaubius.)*

For an adult,
Suppose the dose to be ONE or 1 drachm.

Under 1 year	will only require	. . $\frac{1}{12}$	5 grains.
2		. . $\frac{1}{8}$	8 grains.
3		. . $\frac{1}{6}$	10 grains.
4		. . $\frac{1}{4}$	15 grains.
7		. . $\frac{1}{3}$	1 scruple.
14		. . $\frac{1}{2}$	$\frac{1}{2}$ drachm.
20		. . $\frac{2}{3}$	2 scruples.
21 to 60 the full dose ONE			1 drachm.

Above this age an inverse gradation must be observed.

V. *Classified List of the principal Mineral Waters.*

I. *Saline aperient.*

1. Carlsbad (165°).
2. Kissingen (cold).
3. Marienbad (cold).
4. Franzensbad (cold).
5. Cheltenham (cold).
6. Leamington (cold).
7. Scarborough (cold).

II. *Hot saline.*

1. Wiesbaden (160°).
2. Baden-Baden (153°).

III. *Hot sulphureous.*

1. Aix-la-chapelle (130°).
2. Barèges (130°).
3. Bagneres de Luchon (130°).

IV. *Hot alkaline*

1. Vichy (108°).
2. Mont d'Or.
3. Ems (83°–115°).
4. Töplitz (114°–122°).
5. Schlangenbad (86°).
6. Wildbad (88°–99°).

V. *Simple unmineralized, hot.*
1. Pfeffers (100°).
2. Gastein (118°).
3. Buxton (82°).
4. Bristol (74°).
5. Matlock (66°).

VI. *Simple mineralized, hot.*
1. Bath (112°–116°).
2. Pyrenees (80°–122°).

VII. *Chalybeate waters.*
1. Spa (cold).
2. Schwalbach (cold).
3. Pyrmont (cold).
4. Marienbad (cold).
5. Bruckenau and Bocklet (cold).
6. Tunbridge (cold).
7. Niton (cold).
8. Furnas (hot).

VIII. *Ioduretted and brominated.*
1. Creuznach.
2. Hall.
3. Ischl.
4. Woodhall.

VI. *Saline Draughts.*

Proportional quantities of Alkalies and Acids required for saturation.

Alkaline Carbonates.	Acids.		
	Lemon Juice.	Citric Acid.	Tartaric Acid.
20 *Grains.*	*Drachms.*	*Grains.*	*Grains.*
Potassæ bicarbonas*..	$3\frac{1}{2}$	14	15
—— carbonas (*olim* subcarbonas)* ...	4	17	18
Sodæ sesquicarbonas..	4	17	18
— carb. (*olim* subc.)†	$2\frac{1}{2}$	$9\frac{3}{4}$	$10\frac{1}{2}$
Ammoniæ sesquic. (The only salt in use.)	6	24	$25\frac{1}{2}$

* When tartaric acid is employed it is necessary to add the acid to the potash solution with care; otherwise, when added in excess, the insoluble bitartrate forms.

† Crystallized: 16 grs. of this, when dried, yield 6 grs. of sod. carb. exsicc.

VII. *Weights and Measures.* (See page 2.)

INDEX.

	PAGE
Absinthium	25
Acacia	42
Acetosella	84
Acetum	83
colchici	73
cantharidis	111
destillatum	83
scillæ	50
Acidum benzoicum	16
aceticum	83-111
arsenicum	98
citricum	83
hydrochloricum	98
hyd. dilutum	84-98
nitric. dilutum	84
hydrocy. dilut.	ib.
phospho. dilut.	99
sulph. dilut.	84-99
tartaricum	84
Aconitina	121
Aconitum	61
napellus	135
Acorus	25
Acrid poisons	136
Æther sulphuricus	15
Alcohol	88
Allium	58-110
Aloes	70
extractum	ib.
Althæa	42
Alumen	29
exsiccatum	127
Ammonia	4
Ammoniacum	15
Ammoniæ hydrochloras	102
sesquicarbonas	4-39-54
Amygdala amara	42
dulcis	43
Amylum	ib.
Anethum	34
Anisum	ib.
Anthemis	25-54
Antimonii pot.tart.	54-59
Aqua anethi	35
aurantii	26
carui	35
cinnamomi	21
fœniculi	36
menthæ piperitæ	37
pulegii	38
viridis	ib.
pimentæ	23
Argenti nitras	99-110
Armoracia	90
Asarum	54
Aspidium	13
Assafætida	15
Aurantii cortex	26
Aurantium	ib.
Avena	43

PAGE
Balsamum peruvianum 59
tolutanum - ib.
Barii chloridum - - 7
Baths - - - - 137
Belladonna - - - 62
emplastrum - - ib.
extractum - - ib.
Benzoinum - - - 16
Bismuthi trisnitras - 100
Borax - - - - 30
Brominium - - - 8

Cajuputi oleum - - 90
Calamina præparata - 127
Calumba - - - 103
Calx - - - - 4
Cambogia - - - 72
Camphora - - - 62
Canella - - - - 20
Cantharis - - - 47
Capsicum - - 20-111
Cardamine - - - 16
Cardamomum - - 20
Carui - - - - 34
Caryophyllus - - 21
Caryophylli oleum - ib.
Cascarilla - - - 27
Cassia - - - - 72
Castoreum - - - 17
Cataplasma allii - - 110
aluminis - - - 109
carbonis lini - - 110
conii - - - 109
dauci - - - 110
fermenti - - - ib.
lini - - 45-110
sinapis - - 24-109
Catechu - - - - 30
Centaurium - - - 103
Ceratum - - - 113
calaminæ - - ib.
cantharidis - - 111
cetacei - - - 113
hydrargyri comp. - 115
plumbi acetatis - 113
comp. - - ib.
resinæ - - - 114

PAGE
Ceratum sabinæ - - 111
saponis - - - 113
Cetaceum - - - 43
Cetraria - - - ib.
Chimaphila - - - 47
Cinchona - - - 103
Cinnamomum - - 21
Colchicum - - - 72
Colocynthis - - - 73
Confectio amygdalæ - 43
aromatica - 22
aurantii - - 26
cassiæ - - 72
opii - - - 66
piperis nigri - 24
rosæ caninæ - 86
gallicæ - 33
rutæ - - 57
scammonii - 80
sennæ - - ib.
Conium - - - - 63
Contrajerva - - - 22
Copaiba - - - - 59
Coriandrum - - - 35
Corrosive and irritant poisons - - - 131
Counterpoisons - - ib.
Creosoton - - 91-112
Creta præparata - 5-127
Crocus - - - - 17
Cubeba - - - - 22
tinctura - - - 22
Cupri ammonio-sulphas 17
sulphas - 30-55-100
Cuprum - - - - 30
Cusparia - - - 27
Cydonia - - - - 44
Cymium - - - - 35

Daucus - - - - ib.
Decoctum aloës comp. 71
amyli - - - 43
cetrariæ - - - 44
chimaphilæ - - 47
cinchonæ - - 104-123
cydoniæ - - - 44
dulcamaræ - - 40-48
granati - - - 31

PAGE
Decoctum hordei - - 45
comp. - - ib.
malvæ comp. - 45-125
papaveris - - 125
quercus - 33-122-5
sarzæ - - - 12
compositum - ib.
scoparii compositum 51
senegæ - - - ib.
tormentillæ - - 34
ulmi - - - ib.
uvæ ursi - - 34-53
veratri - - - 126
Digitalis - - - 48
Diosma - - - - 39
Doses, proportion of, according to age - - 139
Dulcamara - - 39-48

Elaterium - - - 74
Emplastrum ammoniaci 118
hydrarg. ib.
belladonnæ - - ib.
cantharidis - - 111
ceræ - - - 119
galbani - - - 118
hydrargyri - - ib.
opii - - - ib.
plumbi - - - 119
saponis - - - ib.
Enema aloës - 72-120
catharticum - - ib.
colocynthidis - 74-ib.
emolliens - - 121
fætidum - - - ib.
opii - - - - 120
rutæ - - - ib.
tabaci - - - ib.
terebinthinæ - 82-ib.
Ergota - - - - 56
Euphorbium - - - 111
Extractum aconiti - 61
aloës purificatum - 70
cinchonæ - - 104
colchici aceticum - 73
cormi - ib.
colocynthidis - - 74
compositum - ib.

PAGE
Extractum conii - - 64
digitalis - - - 48
elaterii - - - 74
gentianæ - - 105
glycyrrhizæ - - 44
hæmatoxyli - - 32
hyoscyami - - 64
jalapæ - - - 76
lactucæ - - - 65
lupuli - - - 28
opii purificatum - 66
papaveris - - 68
Pareiræ - - - 49
rhei - - - - 79
sarzæ - - - 12
stramonii - - 69
taraxaci - - - 52
uvæ ursi - - 34-53

Ferri ammon.-chloridum 101
iodidum - 11-101
potassio-tartras - 102
sesquioxydum - 101
sulphas - - - 102
Ficus - - - - 44
Fœniculum - - - 35

Gallæ - - - - 31
Galbanum - - - 17
Gentiana - - - 105
Glycyrrhiza - - - 44
Granatum - - 13-31
Guaiacum - - - 39

Hæmatoxylum - - 31
Helleborus - - - 74
Hordeum - - - 44
Hydrargyri bichloridum 19
biniodidum - - ib.
chloridum - 8-75-127
iodidum - - - 9
nitrico-oxidum - 127
oxidum - - - 8
sulph. cum sulphure 10
ung. cerat. &c. 113-117
Hydrargyrum - 8-74
cum cretâ - - 74
Hyoscyamus - - - 64

PAGE
Jalapa - - - - 75
Juniperus - - - 49

Infusum anthemidis 25-54
armoraciæ composit. 90
aurantii compositum 26
calumbæ - - 103
caryophylli - - 21
cascarillæ - - 27
catechu comp. - 30-122
cinchonæ - - 103-ib.
cuspariæ - - 27
digitalis - - - 48
diosmæ - - - 39
gentianæ composit. 105
lupuli - - - 28
quassiæ - - - 106
krameriæ - - 32
pareiræ - - - 49
rhei - - - - 78
rosæ comp. - 33-122
scoparii - - - 51
sennæ compositum 80
serpentariæ - - 91
simarubæ - - 106
valeri. lini comp. - - 45
Inula - - - - 22
Iodinium - - - 10
Ipecacuanha - - 40-55

Kino - - - - 32
Krameria - - - ib.

Lactucæ extractum - 65
Lavandula - - - 35
Laurus - - - - 36
Limones - - - 27
Linimentum ammoniæ 123
ammon. sesquicarb. ib.
compositum 124
calcis - - - 126
camphoræ - - 123
compositum ib.
crotonis - - - 124
æruginis - - 126
hydrargyri comp. - 124

PAGE
Linimentum opii - - 125
saponis - - - 124
terebinthinæ - - ib.
Linum - - - - 45
Liquor alumin. comp. 29-125
ammoniæ - - 123
acetatis - 39-84
sesquicarbonatis 4
barii chloridi - 7-100
calcii chloridi - 8-100
calcis - - 5-125
cupri ammon.-sulph. 126
hydrarg. bichloridi 9
liniment. ammoniæ 123
plumbi diacetatis - 124
dilutus ib.
potassæ - - - 6
effervescens - ib.
arsenitis - - 98
carbonatis - 6-50
potassii iodidi comp. 11
sodæ effervescens - 7
Lobelia - - - - 55
Lotio ammoniæ hydroc. 124
flava - - - 126
hydrocyanica - ib.
nigra - - - ib.
Lupulus - - - 28

Magnesia - - - 5-76
Magnesiæ carbonas - 5
sulphas - - 76
Malva - - - - 45
Manna - - - 76
Marrubium - - - 59
Mastiche - - - 18-60
Mel boracis - - 30-122
rosæ - - - 33
Mentha piperita - - 36
pulegium - - 37
viridis - - - ib.
Menyanthes - - - 106
Mezereon - - - 112
Mezereum - - - 41
Mineral waters, classified list of - - - 140
Mistura acaciæ - - 42
ammoniaci - -

PAGE
Mistura amygdalæ - 43
assafætidæ - - 15
camphoræ - - 63
cascarillæ composita 27
cretæ - - - 5
ferri composita - 102
gentianæ composita 105
guaiaci - - - 40
moschi - - - 18
spiritûs vini gallici 92
Mora - - - - - 85
Morphiæ acetas - - 67
hydrochloras - - ib.
Moschus - - - 18
Mucuna - - - 13
Myristica - - - 23
Myrrha - - - - 60

Nux Vomica - - - 65

Oleum amygdalæ - 43
aurantii - - - 26
anisi - - - 35
anthemidis - - 26
cajaputi - - - 124
carui - - - 35
caryophylli - - 21
cinnamomi - - 22
juniperi - - - 49
lavandulæ - - 36
menthæ piperitæ - 37
pulegii - ib.
viridis - 38
myristicæ - - 23
origani - - - 38
pimentæ - - - 23
ricini - - - 79
rosmarini - - 28
succini - - - 19
terebinthinæ - 13-53-82
tiglii - - - 82
Olibanum - - - 18
Opium - - - - 65
Opoponax - - - 18
Origanum - - - 38
Oxymel - - - - 45
scillæ - - - 51

PAGE
Papaver - - - - 68
Pareira - - - - 49
Petroleum - - - 19
Pilulæ aloës compositæ 70
cum myrrhâ - ib.
cambogiæ comp. - 71-2
conii compositæ - 64
ferri compositæ - 102
galbani compositæ 16-17
hydrargyri - 8-75
iodidi - - - 9
chloridi comp. 8
ipecac. compositæ - 41
rhei compositæ - 79
saponis compositæ - 66
sagapeni comp. - 19-71
scillæ compositæ - 50
Pimenta - - - 23
Piper longum - - ib.
nigrum - - 50-112
Plumbi acetas - - 33
iodidum - - - 11
Plumbum - - - 33
Poisons - - - - 131
Potassæ acetas - 49-77-85
bicarbonas - 6-50
bisulphas - - 77
bitartras - 77-85
carbonas - - 6-49
nitras - - - 50
sulphas - - - 77
tartras - - - ib.
hydras - - - 110
Potassa cum calce - ib.
Potassii bromidum - 8
iodidum - - 11
Pruna - - - - 78
Pulvis aloes compositus 70
antimonii comp. - 39
cinnamomi comp. - 21
cretæ compositus - 5
cum opio - ib.
jalapæ compositus - 75
ipecacuanhæ comp. 41
kino compositus - 32
scammonii comp. - 79
tragacanthæ comp. 46

PAGE
Quassia - - - - 106
Quercus - - - - 33
Quinæ disulphas - - 105

Rhamnus - - - 78
Rheum - - - - ib.
Rhei pulvis - - - 127
Rosa canina - - - 86
centifolia - - 79
gallica - - - 33
Rosmarinus - - - 38
Rumex - - - - 86
Ruta - - 57-112

Sabina - - - - 57
Sagapenum - - - 19
Saline draughts - - 141
Sapo - - - - 6
Sarza - - - - 12
Sassafras - - - 41
Scammonium - - 79
Scilla - - - - 50
Scoparius - - - 51
Senega - - - - 41
Senna - - - - 80
Serpentaria - - - 91
Simaruba - - - 106
Sinapis - - - 24-55
Sodæ acetas - - - 81
carbonas - - 7
exsiccata - ib.
phosphas - - 81
potassio-tartras - ib.
sesquicarbonas - 7
sulphas - - - 81
Spigelia - - - 14
Spiritus ætheris nitrici 52
sulph. comp. 88
ammoniæ aromaticus 89
fætidus - ib.
anisi - - - 35
armoraciæ composit. 90
carui - - - 35
cinnamomi - - 22
juniperi compositus 49
lavandulæ - - 36
menthæ piperitæ - 37

PAGE
Spiritus menthæ pulegii 38
viridis - ib.
myristicæ - - 23
pimentæ - - - ib.
rectificatus - 88
rosmarini - - 38
tenuior - - 88
vini gallici - - 92
Stannum - - - 14
Stramonium - - - 68
Strychnia - - - 65
Succinum - - - 19
Sulphur - - - 41
Syrupus althææ - - 42
aurantii - - - 26
mori - - - 85
papaveris - - 68
rhamni - - - 78
rosæ - - - 79
sarzæ - - - 12
sennæ - - - 80
tolutanus - - 59
zinziberis - - 24

Tabacum - - - 56
Tamarindus - - - 82
Taraxacum - - - 52
Tela vesicatoria - - 111
Terebinthina - - ib.
canadensis - - 53
chia - - - ib.
vulgaris - - - 52
Testæ præparatæ - 5
Tiglii oleum - - - 82
Tinctura aloes - - 71
composita ib.
ammoniæ composita 90
assafætidæ - - 16
aurantii - - - 26
balsami tolutani - 59
benzoini composita 16
calumbæ - - - 103
camphoræ composita 63
cantharidis - - 47
capsici - - 20-122
cardamomi - - ib.
composita 21
cascarillæ - - 27

PAGE
Tinctura castorei - - 17
catechu - - - 30
cinchonæ - - 104
composita - ib.
cinnamomi - - 21
composita - 22
colchici - - - 73
composita - ib.
conii - - - 64
cubebæ - - - 22
digitalis - - - 48
ferri ammon.-chlor. 101
sesquichloridi - ib.
gallæ - - 31-ib.
gentianæ composita 105
guaiaci - - - 40
composita - ib.
hellebori - - - 74
hyoscyami - - 64
iodinii comp. - - 11
jalapæ - - - 76
kino - - - 32-122
lavandulæ composita 37
lupuli - - - 28
myrrhæ - - 60-122
opii - - - - 66
rhei composita - 78
scillæ - - - 50
sennæ composita - 80
serpentariæ - - 91
valerianæ - - 19
composita - ib.
zinziberis - - 24
Tormentilla - - - 34
Toxicodendron - - 68
Tragacantha - - - 46

Unguentum ant. pot. tar. 111
aconitinæ - - 117
belladonnæ - - ib.
cantharidis - - 111
cetacei - - - 114
creosoti - - - ib.

PAGE
Unguentum elemi 114
gallæ comp. - 31-ib.
hydrargyri ammonio 111
biniodidi - - 116
fortius - - 115
iodidi - - 116
iodinii - - ib.
compositum ib.
mitius - - 115
nitratis - - ib.
nitrico-oxidi - ib.
mezerei - - - 111
picis liquidi - - 115
nigri - - ib.
plumbi compositum ib.
iodidi - 116
sambuci - - - 114
sulphuris - - 116
comp. - - ib.
veratri - - - ib.
veratriæ - - - 117
zinci - - - 114
Uva ursi - - - 53

Valeriana - - - 19
Veratria - - - 69
Veratrum - - 56-69
Vinum aloes - - - 72
antimonii pot. tart. 54
colchici - - - 73
ipecacuanhæ - 41-45
opii - - - - 66
veratri - - - 56

Weights and measures 2

Zinci oxydum - - 102
acetas - - - 34
sulphas - 36-56-102
Zinziber - - - 24

C. ADLARD, PRINTER, BARTHOLOMEW CLOSE.

Acida

Acetum destillatum
Acidum Aceticum
Acetum Cantharidis
Acetum Colchici
Acetum Scillæ
Acidum Benzoicum
Acidum Citricum
——— Hydrochloricum
——— ——— dil.
——— Hydrocyani dil
——— Nitricum
——— ——— dil
——— Phosphor. dil
——— Sulphur. dil.
——— Tartaric.

ÆTHEREA

Æther Sulphuricus
Oleum Ætheremum
Spir. Æth. Nitrici
——— Sulph co.

Alkalina.

Aconitina
Morphia
Quinia disulphas
Strychnia
Veratria.
Morphiæ Acetas
——— Hydrochloras

Ammoniæ sesquicarb
Liq. ——— ———
Liquor. Ammoniæ
——— ——— Acet

ANIMALIA.

Carbo Animalis purif
Cornu Ustum.
Sanguis preparatus

AQUA DESTILLA

AQUA destillata
Aqua Anethi
Aqua Carui
Aqua Foeniculi
Aqua florum Aurantii
Aqua Cinnamomi
Aqua Menthæ Piperitæ
Aqua Menthæ Pulegii
Aqua Menthæ Viridis
Aqua Pimentæ
Aqua Rosæ
Aqua Sambuci

CATAPLASMATA.

Cataplasma Conii
——— Fermenti
——— Lini
——— Sinapis

CERATA.

Ceratum
Ceratum Calaminæ
Ceratum Cantharidis
Cetacei.
Hydrargyri co
Pl. acetatis
Plum. co.
Resinæ
Sabinæ
Saponis

CONFECTIONES.

Confectio Amygdalæ.
Aromatica
Aurantii
Cassiæ
Ocii
Piper. Styr.
Ro. Canina
Ro. Salviæ
Rutæ
Scammonii
Sennæ.

DECOCTA.

Decoct. Aloës co.
Amyli
Celtariæ
Chinæ Cephala
Cincho. cordifo.
—— lancifo.
—— oblongi.
Cydoniæ
Dulcamaræ
Granati
Hordei
—— co
Malvæ co
Papaveris
Quercus
Sarzæ
—— co
Saponis co
Senegæ
Tormentillæ
Ulmi
Veratri
Uvæ Ursi

EMPLASTRA.

Emplast. Ammoniaci
——— c̄ Hydrarg.
Belladonn.
Cantharidis
Ceræ
Galbani
Hydrargyri
Opii
Picis
Plumbi
Resinæ
Saponis

ENEMATA.

Enem. Aloës
Colocynthidis
Opii
Sabaci
Terebinthinæ

EXTRACTA

Extract. Aconiti
Belladonna
Colchici Cormi
Conii
Digitalis
Hyoscyami
Lactucæ
Aloës purif.
Cinch. cordifolia
——— Lanifol
——— Oblongifol
Colchici Acet.
Colocynth.
Colocyn. co
Elaterii
Gentianæ
Glycyrrhizæ
Hæmatoxyli
Lupuli
Pareiræ
Sarzæ
Taraxaci
Uvæ Ursi
Jalapæ
Opii purif.
Papaveris
Rhei
Stramonii.

INFUSA

Spiritus Antiemetici
Armoraciæ co
Auratii co.
Calendulæ
Caryophylli
Cascarillæ
Colchici co
Cinchonæ
Cochleariæ
Digitalis
Droseræ
Gentianæ co
Lupuli
Krameriæ
Lini co
Taraxaci
Quassiæ
Rhei
Rosæ co
Scoparii
Senna co
Scutellariæ
Senecionis
Valerianæ

LINIMENTA.

Lin. Camphoræ
— Ammoniæ
— Sesquiæ.
Camphora
Camphora co
Hydrargyri co
Opii
Saponis
Terebinthina

MELLITA

Mel Boracis
Rosæ
Oxymel
— Scillæ

METALLICA.

P ex Aluminio
Alumen Exsiccatum
Liq. Alumin. co

P ex Antimonio
A oxysulphuretum
A Potassio Tartras
bicum
P. Ant. co.

P. ex Argento

Argenti cyanidum
——— Nitras
Liquor ——— ———

P. ex Arsenico

Liquor Potass. Arsenitis

P. ex Bario

Bario Chloridum
Liq ———

P. ex Bismutho.

Bismuthi Subnitras

P. ex Calcio

Calx
Liq. Calcis
Calcii Chlori.
Liq. ———
Calx Chlorinata
Cretta Praeparata

P. ex Cupro

Cup. Ammonia Sulph
Liquor ———

P. ex Ferro

Fer. Ammonio Chl
Tartr F ———
Sulph ——— Liquor
Ferri Iodidum
Ferri Potass. Tart
Ferri Liquor oxydi
Ferri Sulphas

P. ex Hydrargyro

Hg. c Cretâ
Hgi oxydum
——— Binoxydum
Nitrico Oxydum
Ammo. Chloridum
Chloridum
Bichloridum
Liq ——— ———
Hg. Bijodidum

Hg. Iodidum
Biniodide
Bisulphuretum
Sulphuretum c̄ Sulphe

ex Magnesia

Magnesia
——— Carbonas

ex Plumbo

Plumbi Acetas
liq. ——— Diacetat.
——— dil
Plumbi Chloridum
——— Iodidum
——— Oxyd. Hydratum

ex Potassa

Liq. Potassæ
——— Carbonas
Potassæ c̄ calce
Potassæ Hydras
c. ——— Acetas

Potassæ carbonas
——— Bicarbonas
Liq. Potass. Effervescens
Potassæ Sulphas
——— Bisulphas
——— Tartras
Potassii Bromidum
——— Iodidum
Liq. ——— ico
Potassii Sulphuretum

P. ex Iodio.

Sodæ carbonas
Sodæ ——— exsiccata
——— Sesquicarbonas
——— Sulphas
——— Potassii Tartras
Liq. Sodæ Effervescens
——— Chlorinatæ

P. ex Zinco

Calamina Præparata
Zincii Oxydum
——— Sulphas

Mixturae

Mixtura Acaciae
—— Ammoniaci
—— Amygdalae
—— Asafoetidae
—— Camphorae
—— Cascarillae co
—— Cretae
—— Ferri co
—— Gentianae co
—— Guiaci
—— Moschi
—— Spir. vin. fort.

OLEA DESTILLATA.

Oleum Anisi
—— Artemisiae
—— Carui
—— Juniperi
—— Lavandulae
—— Menth. Piper.
—— Menth. Pulegii
—— —— viridis.
—— Olium Origani
—— Pimentae
—— Rosmarini
—— Sabini
—— Succini
—— Cerebri. fee

PILVLAE

P. Aloes co
Aloes c Myrrh
Cambogia co
Comi co
Ferri co
Galbani co
Hydragyri
Hydr. Chlor co
—— Iodidi
—— Mecac. co
Rhei co
Sagapeni co
Saponis co
Scillae co
Stibii co.

PVLVERES.

Alo. Aloës co
Cinnamomi co
Creta co
Creta co c Rhio
Jalapæ co
Kinæ co
Kinio co
Scammon. co
Tragacanth co

SPIRITVS.

Aether
Sp. Ammoniæ
Ammoniæ arom.
Ammoniæ fetid.
Anisi
Armoraciæ co
Carui
Cinnamomi
Juniperi co
Lavandulæ
Menthæ Sp.
Ni
Pulegi.

Sp. Myristicæ
Pimentæ
Rosmarini

SYRVPI

Symplex
— Althæa
— Aurantii
— Croci
— Limonis
— Mori
— Papaveris
— Rhamni
— Rheados
— Rosæ
— Sarsæ
— Senna
— Tolutanus
— Zingiberis

TINCTVRÆ

Ta Aloës
— co
Ammoniæ co
Asafœtidæ

Aetherei Aromatici
Balsami Nigri.
Benzoini Co
Calumbæ
Cantharis
——— Co
Cantharidis
Capsici
Cardamomi
Cascarillæ
Catechu
Cinchonæ
——— Co
Cinnamomi
——— Co
Colchici
——— Co
Croci
Cubebæ
Digitalis
Galbanum
Scammonæ Co

Tr. Guaiaci
Hellebori
Hyoscyami
Jalapæ
Jodinii Co
Kino
Lavandulæ Co
Lupuli
Myrrhæ
Olei
Rhei Co
Scillæ
Sennæ Co
Serpentariæ
Valerianæ
——— Co
Zingiberis.

VINA.

Vinum Aloes
Colchici
Meconium

Opii
Veratria

V·IV GVTTA

Emp. Arlini. Pot. Tart.
Cantharidis
Cetacei
Creasoti
Elemi
Fullo. co
Hydrarg. fort.
——— mit.
——— Nitra.
——— Nitr. Ox.
——— Iodid.
——— Rubri.
——— Ammon.
Iodine
Olei Lipiodi
Olei Nigri
Olibani co
——— Iodidi

Vn Sambuci
— Sulphuris
— ——— co
— Veratri
— Zinci.

15 Acid
4 Aromatic
4.7 Alkaline, oid.
3 Animals p.
12 Waters
4 Poultices
10 Cerates
11 Confections
29 Decoctions
12 Plasters
5 Enemata
28 Extracts
24 Infusions
9 Liniments
14 Honey, Hr.
7 Metallic
12 Mixtures
14 Oils (distilled)
15 Powders, Pills
9 Spirits
16 Syrups
13 Tinctures
43 Waters
5 Wines
22 Oint-ments

3 Arsenical
4 Alkaline
– Alkali
– Tartrates
– Honey
5 Emetic
– Wines
7 Alkaloids
9 Liniments
– Powders
10 Cerates
11 Confections
12 Plasters
– Waters
– Mixtures
13 Soaps
14 Oils
15 Acid.
– Tiles
16 Spirits
22 Ointments
23 Decoctions
24 Infusions
28 Extracts
43 Tinctures
74 Metallic
i.e.

1 Arsenic
Bismuth
Barium
Magnesium
Iron

9 Zinc
6 Lead
– Calcium
7 Iron
Sodium

13 Mercury
15 Potassium.

154 Vegetabilia.

Prof. Fuller
Rizzy & Cook
Hon. Health